



Fire Protection



Industry



Mining & Tunneling




Snowmaking



General



Quick Connection Steel Pipe Systems

 **ALVENIUS[®]**




Alvenius -The Company

Alvenius® was established in Eskilstuna in 1951. Soon the company started to manufacture steel pipe systems for international mining companies and construction projects around the world.

The southern part of Africa and South America were soon important export markets. During the later part of the sixties Alvenius® entered the growing business of snow making and is today well established on the European market.

In the beginning of the nineties the thermoplastic coating was introduced as a cost efficient corrosion protection method. Today Alvenius® thermoplastic coated steel pipes are used where stainless steel previously was the only alternative. Some examples are fire mains, desalination, leaching, water & sewage and many other areas where a good corrosion protection is required.

Alvenius® belongs to the Boxholm group.

Marketing segments

Alvenius has five defined market segments. Fire pr, Ind, Mining, Snow, and General. All areas have their own needs and demands.

With that in mind we have used our unique product advantages and created concepts optimised for each application.



Our Vision

The Alvenius® vision is to be a world leader in the manufacturing of quick connection steel pipe systems with low weight and excellent corrosion protection, within selected segments.

On the domestic market Alvenius® shall be a leading supplier of steel pipe systems and a contract manufacturer of low volume products where the combination of logistics, welding technology and corrosion protection are key factors for the customers.

Spirally welded steel pipes

The pipes are spirally welded from certified pressure vessel carbon steel. This makes it possible to reduce the wall thickness of the pipes, whilst still maintaining excellent performance in terms of rated working pressure. The result is a low weight pipe for high pressures up to 80 bar (1160 psi).

The welding method is Submerged Arc Welding, SAW. The welded seam is smooth, flat and does usually not exceed 2.5 mm (0.1") in height. Alvenius® spirally welded steel pipes are manufactured in Ø 76–508 mm (3–20"). Wall thickness ranging from 2.0 mm to 8.0 mm (0.08–0.31"). Special dimensions are available on request. Our pipes in diameter O48 and O60 are not spirally welded.

Quality management system

Our dedication to quality in the products and services we supply goes all the way back to the origin of the company. Since 1997 the Quality Management System has been certified according to ISO 9001.

During production of the pipes, the weld is continuously examined with an automated ultra sonic system in addition to regular X-ray and visual inspection. Finally the pipes undergo a hydrostatic test at 1.5 times their rated working pressure.

All personnel performing welding operations have a relevant level of competence, verified on a yearly basis. The Quality Management System is subject to an external audit twice yearly.

The Alvenius® standard product range is approved according to PED 97/23/EC, the Pressure Equipment Directive. This means that Lloyds Register has examined and scrutinized our design, drawings, choice of material and calculations. The manufacturing process has been studied and examined in terms of methods and competence of the staff.

Environmental management system

Alvenius® has an Environmental Management System according to EN-ISO 14001 certified by Lloyds Register since 2000. The Environment Management System undergoes an external audit twice yearly.

Two pipe systems

K 10. Alvenius® system K10 is a shouldered system based on the metric standard, Ø 48–254 mm (2–10"). Designed for pressures up to 40 bar (580 psi).

VICTAULIC. Alvenius® system Victaulic is a grooved system based on the ISO standard, Ø 60–508 mm (2.5–20"). Standard design for pressures up to 80 bar (1160 psi). The pipes are available either roll grooved or equipped with cut grooved machined rings welded to the pipe ends.

Complete system

Alvenius® offers complete pipe systems with a comprehensive range of fittings such as bends, tees, reducers, flange adaptors, threaded outlets etc. All connected with the same quick coupling concept.

Quick couplings with self-sealing gaskets

The coupling locks into the groove or the shoulder at the pipe ends so that the connected pipe can withstand considerable axial forces. Self-sealing design of the gasket makes the coupling suitable for low as well as high pressures.



Surface treatments

- Hot dip galvanizing
- Thermoplastic coating
- Painting



Easy assembly

Alvenius® steel pipes are joined by quick couplings.

In four easy steps, it is possible for anyone familiar with a wrench to assemble the Alvenius pipe system.

It is up to three times faster to install than welding.



Alvenius® Outstanding Pipe Performance

Alvenius® uses Swedish high quality steel in the pipes. This means that we can produce high quality pipes with thinner walls and still deliver high performance pipes.





The result is lighter pipes and costsavings in transportation and installation.

Our customers benefit from pipes with a larger inner diameter and extraordinary performance compared to most of the competing pipes in the market.

The large inner diameter paired with a low friction coefficient results in a very low pressure drop.



Pressure drop as a function of flow at +2 °C pipe length 1000 meters





An economical and equally good alternative to stainless steel piping

Alvenius® light-weight steel pipe system, inside and outside surface thermoplastic coated, combine the strength of steel and the resistance of thermoplastic to a wide variety of corrosive media.

The pipes are connected using Alvenius® well known quick-couplings or flanges which eliminate expensive welding and makes it possible to quickly exchange single pipe lengths and fittings.

The system is suitable for high-pressure applications up to 80 bar.

Method of coating

The untreated steel surfaces are sand blasted to a coatable finish. The pipes are heated to the temperature for coating. The pipes are coated using fluidised bed or electrostatic coating methods. The thickness of film applied is 20-30 mil/500-700 microns.

Göteborgs VA-verk i samarbete med Svenska Korrosionsinstitutet och Corropro grävde 1990 ner ett antal termoplastbelagda stålrör för att testa korrosionsbeständigheten. Efter 12 år grävdes rören upp och testresultatet var mycket bra. Rören visade inga tecken på korrasjon och termoplastbeläggningen var helt intakt.



The characteristics of thermoplastic

- Extremely good adhesion - no risk of scaling or cracking.
- Elongation at break, 800 %
- Good resistance to chemicals, especially acids and alkalies
- Excellent weather resistant properties
- Good corrosion protecting characteristics
- Dielectric resistance
- Safe working temperature continuous in air +150°F/65°C
- Difficult to ignite building material



Installation of pipes for water supply to the snow guns. Idrefjäll Sweden.



Alvenius® Thermoplastic Coated pipes are used in the fire protecting system at Ringhals nuclear power plant, Sweden.

Examples:

- | | | |
|---|--|---|
| <ul style="list-style-type: none">• Mining• Chemical industry• Food stuffs industry | <ul style="list-style-type: none">• Off-shore• Mineral processing• Foundation tubes• Snowmaking | <ul style="list-style-type: none">• Fire fighting pipes• Paper and cellulose industries• Municipal water industry |
|---|--|---|



The city of Lidingö, Sweden, uses the Alvenius® thermoplastic coated pipe system for distribution of potable water.



Stora Enso, Gruvön, Sweden chose Alvenius® TP-pipes, as industrial sewage pipeline, for the new soda recovery boiler.

100 km Alvenius thermoplastic coated pipe system at the heap leaching plant at the Bulghah gold mine in Saudi Arabia.



Alvenius® Hot Dip Galvanizing

**K10 48 – 254 mm
Victaulic 68 – 508 mm**



Alvenius Size Ø 48 mm Hot Dip Galvanized with K10 Coupling

Product	DN	Inch	ØD mm	ØID mm	Thks.	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Pipe	40	1 ½"	48,3	45,5	1,4	5800	25	25	Galv.	K10	10.5	100041101
Pipe	40	1 ½"	48,3	45,5	1,4	1000	25	25	Galv.	K10	1.7	100035101
Pipe	40	1 ½"	48,3	45,5	1,4	500	25	25	Galv.	K10	0.9	100034101
Pipe	40	1 ½"	48,3	45,5	1,4	3000	25	25	Galv.	K10	5.5	100037101
Pipe	40	1 ½"	48,3	45,5	1,4	2000	25	25	Galv.	K10	3.7	100036101
Pipe	40	1 ½"	48,3	45,5	1,4	200	25	25	Galv.	K10	0.4	100032101

Product	DN	Inch	ØD mm	P1+2	A	B	C	Defl.	ST	Type	Wt.	Part. No
Coupling K10 with gasket	40	1 ½"	48,3	25	77	124	37	5,00	Painted	K10	0.6	120258109
Coupling K70 with gasket	40	1 ½"	48,3	16	77	130	37	6,50	Painted	K70	0.7	120900709

Product	DN	Inch	ØD mm	L1	L2	L3	P1+2	ST	Type	Wt.	Part. No
Branch pipes 45°	40	1 ½"	48,3	225	195	88	17	Galv.	K10	0.8	110173101

Product	DN	Inch	ØD mm	L	P1+2	Flange	ST	Type	Wt.	Part. No
Connection with flange	40	1 ½"	48,3	87	16	40	Galv.	K10	2.0	111768101

Product	DN	Inch	ØD mm	L	P1+2	Flange	ST	Type	Wt.	Part. No
Connection with threaded outlet	40	1 ½"	48,3	R1"	25	0	Galv.	K10	0.3	110213101
Connection with threaded outlet	40	1 ½"	48,3	R2"	25	0	Galv.	K10	0.5	110215101

Product	DN	Inch	ØD mm	L	P ₁	P ₂	Angl.	ST	Type	Wt.	Part. No
Elbow	40	1 ½"	48,3	51	25	25	7,50	Galv.	K10	0.3	110445101
Elbow	40	1 ½"	48,3	53	25	25	15,00	Galv.	K10	0.3	110446101
Elbow	40	1 ½"	48,3	58	25	25	30,00	Galv.	K10	0.4	110447101
Elbow	40	1 ½"	48,3	67	25	25	45,00	Galv.	K10	0.4	110448101
Elbow	40	1 ½"	48,3	100	25	25	90,00	Galv.	K10	0.6	110450101

Product	DN	Inch	ØD mm	L	P ₁	P ₂	ST	Type	Wt.	Part. No
End cap	40	1 ½"	48,3	13	25	0	Galv.	K10	0.1	110349101

Product	DN	Inch	ØD mm	Ød	L	P1+2	ST	Type	Wt.	Part. No
Hose sockets	40	1 ½"	48,3	2"	190	25	Galv.	K10	0.5	111279101
Hose sockets	40	1 ½"	48,3	1.5"	142	25	Galv.	K10	0.4	111680101
Hose sockets	40	1 ½"	48,3	1"	185	25	Galv.	K10	0.5	111679101

Product	DN	Inch	ØD mm	ST	Type	Wt.	Part. No
Rubber gasket	40	1 ½"	48,3	EPDM	K10	0.1	120264101

MOUNTING GREASE & DENSOAPE

More products in this size on the next page >>

Product	RSK nr.	Order No
Grease, tube, 125 g		300 029 000
Grease, can, 1000 g		300 028 000
Densotape, B=100mm, L=10000mm		800 731 000

Alvenius Size Ø 48 mm Hot Dip Galvanized with K10 Coupling

Product	DN	Inch	ØD mm	Ød	L1	L2	P ₁	P ₂	ST	Type	Wt.	Part. No
Tee	40	1 ½"	48,3	48	148	99	25	25	Galv.	K10	0.5	111696101

Product	DN	Inch	ØD mm	Ød	L1	L2	P1+2	ST	Type	Wt.	Part. No
Tee with threaded outlet	40	1 ½"	48,3	R1"	148	80	25	Galv.	K10	0.5	111743101
Tee with threaded outlet	40	1 ½"	48,3	R2"	148	97	25	Galv.	K10	0.8	111744101

Product	DN	Inch	ØD mm	L	P1+2	A	ST	Type	Wt.	Part. No
Valves	40	1 ½"	48,3	110	16	270		K10	0.0	

Product	DN	Inch	ØD mm	Thks.	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Welding ring	40	1 ½"	48,3	1,8	43	0	0		K10	0.1	121898100

MOUNTING GREASE & DENSOAPE

Product	RSK nr.	Order No
Grease, tube, 125 g		300 029 000
Grease, can, 1000 g		300 028 000
Densotape, B=100mm, L=10000mm		800 731 000

Alvenius Size Ø 60 mm Hot Dip Galvanized with K10 Coupling

Product	DN	Inch	ØD mm	ØID mm	Thks.	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Pipe	50	2"	60,3	56,7	1,8	500	25	25	Galv.	K10	1.4	101124101
Pipe	50	2"	60,3	56,7	1,8	1000	25	25	Galv.	K10	2.9	101125101
Pipe	50	2"	60,3	56,7	1,8	2000	25	25	Galv.	K10	5.7	101126101
Pipe	50	2"	60,3	56,7	1,8	3000	25	25	Galv.	K10	8.5	101127101
Pipe	50	2"	60,3	56,7	1,8	5800	25	25	Galv.	K10	16.4	101131101
Pipe	50	2"	60,3	56,7	1,8	200	25	25	Galv.	K10	0.6	101122101
Pipe	50	2"	60,3	56,7	1,8	1000	50	50	Galv.	K10	3.0	101125801

Product	DN	Inch	ØD mm	P1+2	A	B	C	Defl.	ST	Type	Wt.	Part. No
Coupling K10 with gasket	50	2"	60,3	25	89	137	39	2,50	Painted	K10	0.7	120267109
Coupling K70 with gasket	50	2"	60,3	16	89	142	39	4,50	Painted	K70	0.8	120901709

Product	DN	Inch	ØD mm	L	P1+2	Flange	ST	Type	Wt.	Part. No	
Connection with flange	50	2"	60,3	90	16	60	Galv.	K10	2.8	111771101	

Product	DN	Inch	ØD mm	L	P1+2	Flange	ST	Type	Wt.	Part. No	
Connection with threaded outlet	50	2"	60,3	R1"	25	0	Galv.	K10	0.5	110216101	
Connection with threaded outlet	50	2"	60,3	R2"	25	0	Galv.	K10	0.5	110217101	
Connection with threaded outlet	50	2"	60,3	R2.5"	25	0	Galv.	K10	1.0	110218101	

Product	DN	Inch	ØD mm	L	P ₁	P ₂	Angl.	ST	Type	Wt.	Part. No
Elbow	50	2"	60,3	52	25	25	7,50	Galv.	K10	0.4	110466101
Elbow	50	2"	60,3	54	25	25	15,00	Galv.	K10	0.4	110467101
Elbow	50	2"	60,3	63	25	25	30,00	Galv.	K10	0.6	110468101
Elbow	50	2"	60,3	74	25	25	45,00	Galv.	K10	0.7	110469101
Elbow	50	2"	60,3	119	25	25	90,00	Galv.	K10	1.0	110471101

Product	DN	Inch	ØD mm	L	P ₁	P ₂	ST	Type	Wt.	Part. No	
End cap	50	2"	60,3	14	25	0	Galv.	K10	0.2	110351101	

Product	DN	Inch	ØD mm	Ød	L	P1+2	ST	Type	Wt.	Part. No	
Hose sockets	50	2"	60,3	2"	212	25	Galv.	K10	1.2	111683101	

Product	DN	Inch	ØD mm	Ød	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Reducer	50	2"	60,3	48	85	25	25	Galv.	K10	0.7	111850101

Product	DN	Inch	ØD mm	ST	Type	Wt.	Part. No		
Rubber gasket	50	2"	60,3	EPDM	K10	0.1	120273101		

MOUNTING GREASE & DENSTAPE

More products in this size on the next page >>

Product	RSK nr.	Order No
Grease, tube, 125 g		300 029 000
Grease, can, 1000 g		300 028 000
Densotape, B=100mm, L=10000mm		800 731 000

Alvenius Size Ø 60 mm Hot Dip Galvanized with K10 Coupling

Product	DN	Inch	ØD mm	Ød	L1	L2	P ₁	P ₂	ST	Type	Wt.	Part. No
Tee	50	2"	60,3	48	160	105	25	25	Galv.	K10	0.7	111697101
Tee	50	2"	60,3	60	160	105	25	25	Galv.	K10	0.8	111698101

Product	DN	Inch	ØD mm	Ød	L1	L2	P ₁₊₂	ST	Type	Wt.	Part. No
Tee with threaded outlet	50	2"	60,3	R1"	160	87	25	Galv.	K10	0.7	111745101
Tee with threaded outlet	50	2"	60,3	R2"	160	70	25	Galv.	K10	0.8	111746101
Tee with threaded outlet	50	2"	60,3	R2,5"	160	105	25	Galv.	K10	0.9	111747101

Product	DN	Inch	ØD mm	Thks.	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Welding ring	50	2"	60,3	2,0	43	0	0		K10	0.2	121899100

Product	DN	Inch	ØD mm	L	P ₁₊₂	A	ST	Type	Wt.	Part. No
Valves	50	2"	60,3	120	16	283		K10	0.0	

MOUNTING GREASE & DENSOAPE

Product	RSK nr.	Order No
Grease, tube, 125 g		300 029 000
Grease, can, 1000 g		300 028 000
Densotape, B=100mm, L=10000mm		800 731 000

Alvenius Size Ø 76 mm Hot Dip Galvanized with K10 Coupling

Product	DN	Inch	ØD mm	ØID mm	Thks. mm	L	P ₁	P ₂	ST	Type	Wt. kg	Part. No
Pipe	65	2 1/2"	76,1	72,1	2,0	200	25	25	Galv.	K10	0.8	100071101
Pipe	65	2 1/2"	76,1	72,1	2,0	500	25	25	Galv.	K10	2.1	100074101
Pipe	65	2 1/2"	76,1	72,1	2,0	1000	25	25	Galv.	K10	4.4	100075101
Pipe	65	2 1/2"	76,1	72,1	2,0	2000	25	25	Galv.	K10	8.1	100076101
Pipe	65	2 1/2"	76,1	72,1	2,0	3000	25	25	Galv.	K10	12.0	100077101
Pipe	65	2 1/2"	76,1	72,1	2,0	5800	25	25	Galv.	K10	23.0	100081101
Pipe	65	2 1/2"	76,1	72,1	2,0	500	40	40	Galv.	K10	0.5	100074101

Product	DN	Inch	ØD mm	P1+2	A	B	C	Defl.	ST	Type	Wt.	Part. No
Coupling K10 with gasket	65	2 1/2"	76,1	25	109	168	40	4,00	Painted	K10	0.9	120276109
Coupling K70 with gasket	65	2 1/2"	76,1	16	110	162	40	5,00	Painted	K70	1.0	120902709

Product	DN	Inch	ØD mm	L ₁	L ₂	L ₃	P1+2	ST	Type	Wt.	Part. No
Branch pipes 45°	65	2 1/2"	76,1	280	250	102	15	Galv.	K10	2.1	110178101

Product	DN	Inch	ØD mm	L	P1+2	Flange	ST	Type	Wt.	Part. No
Connection with flange	65	2 1/2"	76,1	90	16	65	Galv.	K10	3.4	111774101

Product	DN	Inch	ØD mm	Ød	P ₁	P ₂	ST	Type	Wt.	Part. No
Connection with threaded outlet	65	2 1/2"	76,1	R1"	25	0	Galv.	K10	0.7	110219101
Connection with threaded outlet	65	2 1/2"	76,1	R2"	25	0	Galv.	K10	0.6	110221101
Connection with threaded outlet	65	2 1/2"	76,1	R3"	25	0	Galv.	K10	1.1	110223101

Product	DN	Inch	ØD mm	L	P ₁	P ₂	Angl.	ST	Type	Wt.	Part. No
Elbow	65	2 1/2"	76,1	50	25	25	7,50	Galv.	K10	0.5	110487101
Elbow	65	2 1/2"	76,1	55	25	25	15,00	Galv.	K10	0.5	110488101
Elbow	65	2 1/2"	76,1	68	25	25	30,00	Galv.	K10	0.8	110489101
Elbow	65	2 1/2"	76,1	82	25	25	45,00	Galv.	K10	1.0	110490101
Elbow	65	2 1/2"	76,1	138	25	25	90,00	Galv.	K10	1.5	110492101

Product	DN	Inch	ØD mm	L	P ₁	P ₂	ST	Type	Wt.	Part. No
End cap	65	2 1/2"	76,1	14	25	0	Galv.	K10	0.2	110353101

Product	DN	Inch	ØD mm	Ød	L	P1+2	ST	Type	Wt.	Part. No
Hose sockets	65	2 1/2"	76,1	3"	254	25	Galv.	K10	1.6	111281101
Hose sockets	65	2 1/2"	76,1	2"	208	25	Galv.	K10	1.2	111684101

MOUNTING GREASE & DENSOAPE

More products in this size on the next page >>

Product	RSK nr.	Order No
Grease, tube, 125 g		300 029 000
Grease, can, 1000 g		300 028 000
Densotape, B=100mm, L=10000mm		800 731 000

Alvenius Size Ø 76 mm Hot Dip Galvanized with K10 Coupling

Product	DN	Inch	ØD mm	Ød	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Reducer	65	2 1/2"	76,1	48	85	25	25	Galv.	K10	0.4	111851101
Reducer	65	2 1/2"	76,1	60	85	25	25	Galv.	K10	0.4	111852101

Product	DN	Inch	ØD mm	ST	Type	Wt.	Part. No
Rubber gasket	65	2 1/2"	76,1	EPDM	K10	0.1	120282101

Product	DN	Inch	ØD mm	Ød	L ₁	L ₂	P ₁	P ₂	ST	Type	Wt.	Part. No
Tee	65	2 1/2"	76,1	48	176	113	25	25	Galv.	K10	1.0	111699101
Tee	65	2 1/2"	76,1	60	176	113	25	25	Galv.	K10	1.0	111700101
Tee	65	2 1/2"	76,1	76	176	138	25	25	Galv.	K10	1.3	111701101

Product	DN	Inch	ØD mm	Ød	L ₁	L ₂	P1+2	ST	Type	Wt.	Part. No
Tee with threaded outlet	65	2 1/2"	76,1	R1"	176	96	25	Galv.	K10	1.0	111748101
Tee with threaded outlet	65	2 1/2"	76,1	R2"	176	88	25	Galv.	K10	1.2	111749101
Tee with threaded outlet	65	2 1/2"	76,1	R3"	176	164	25	Galv.	K10	1.7	111750101

Product	DN	Inch	ØD mm	L	P1+2	A	ST	Type	Wt.	Part. No
Valves	65	2 1/2"	76,1	125	16	310		K10	0.0	

Product	DN	Inch	ØD mm	Thks. mm	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Welding ring	65	2 1/2"	76,1	2,0	43	0	0		K10	0.2	121910100

MOUNTING GREASE & DENSOAPE

Product	RSK nr.	Order No
Grease, tube, 125 g		300 029 000
Grease, can, 1000 g		300 028 000
Densotape, B=100mm, L=10000mm		800 731 000

Alvenius Size Ø 89 mm Hot Dip Galvanized with VIC Coupling

Product	DN	Inch	ØD mm	ØID mm	Thks. mm	L	P ₁	P ₂	ST	Type	Wt. kg	Part. No
Pipe	80	3"	88,9	84,9	2,0	6000	34	34		VIC	25,7	100090900
Pipe	80	3"	88,9	84,9	2,0	5800	48	45	Galv.	VIC	28,0	101540801
Pipe	80	3"	88,9	84,5	2,2	600	80	78	Galv.	VIC	3,5	122551801
Pipe	80	3"	88,9	84,5	2,2	1000	80	78	Galv.	VIC	4,3	122091801
Pipe	80	3"	88,9	84,5	2,2	3000	80	78	Galv.	VIC	22,0	122093801
Pipe	80	3"	88,9	84,5	2,2	5800	80	78	Galv.	VIC	29,0	122550801
Pipe	80	3"	88,9	84,9	2,0	6000	34	34	Galv.	VIC	27,5	100090901
Pipe	80	3"	88,9	84,9	2,0	3000	34	34	Galv.	VIC	13,8	100091901
Pipe	80	3"	88,9	84,5	2,2	5800	48	45	Galv.	VIC	28,0	101540801
Pipe	80	3"	88,9	84,9	2,0	6000	34	34	Painted	VIC	25,7	100090910
Pipe	80	3"	88,9	84,9	2,0	3000	34	34	Painted	VIC	12,8	100091910
Pipe	80	3"	88,9	84,9	2,0	3000	34	34	Svart	VIC	12,8	100091900

Product	DN	Inch	ØD mm	P ₁₊₂	A	B	C	ST	Type	Wt.	Part. No
Coupling ST07 with gasket	80	3"	88,9	52	115	173	47	Painted	VIC	1,4	120912800

Product	DN	Inch	ØD mm	P ₁₊₂	A	B	C	ST	Type	Wt.	Part. No
Coupling HP-70ES with gasket	80	3"	88,9	172	119	187	48	Painted	VIC	2,1	120945800

Product	DN	Inch	ØD mm	P ₁	P ₂	A	B	C	ST	Type	Wt.	Part. No
Coupling ST75 with gasket	80	3"	88,9	35	35	114	171	44	Painted	VIC	1,3	120932800

Product	DN	Inch	ØD mm	P ₁	P ₂	A	B	C	ST	Type	Wt.	Part. No
Coupling ST77 with gasket	80	3"	88,9	80	69	127	178	44	Painted	VIC	1,7	120809800

Product	DN	Inch	ØD mm	L	P ₁₊₂	Flange	ST	Type	Wt.	Part. No
Connection with flange	80	3"	88,9	103	40	80	Galv.	VIC	5,4	111777801

Product	DN	Inch	ØD mm	Ød	L	P ₁	P ₂	Angl.	ST	Type	Wt.	Part. No
Elbow	80	3"	88,9		38	80	64	11,25	Galv.	VIC	1,0	122507801
Elbow	80	3"	88,9		114	80	64	22,5	Galv.	VIC	1,4	122510801
Elbow	80	3"	88,9		64	80	64	45	Galv.	VIC	1,4	122511801
Elbow	80	3"	88,9		108	80	64	90	Galv.	VIC	2,0	122513801
Elbow	80	3"	88,9		48	80	64	7,5	Galv.	VIC	0,6	122508801

Product	DN	Inch	ØD mm	L	P ₁	P ₂	ST	Type	Wt.	Part. No
End cap	80	3"	88,9	22	80	0	Galv.	VIC	0,5	122354801

MOUNTING GREASE & DENSOAPE

More products in this size on the next page >>

Product	RSK nr.	Order No
Grease, tube, 125 g		300 029 000
Grease, can, 1000 g		300 028 000
Densotape, B=100mm, L=10000mm		800 731 000

Alvenius Size Ø 89 mm Hot Dip Galvanized with VIC Coupling

Product	DN	Inch	ØD mm	Ød	L ₁	L ₂	P ₁	P ₂	ST	Type	Wt.	Part. No
Hydrant pipe, threaded outlet	80	3"	88,9	0	600	95	80	64	Galv.	VIC	5.1	122740801

Product	DN	Inch	ØD mm	Ød	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Reducer	80	3"	88,9	60	180	80	64	Galv.	VIC	1.3	122042801
Reducer	80	3"	88,9	76	180	80	64	Galv.	VIC	1.6	122043801

Product	DN	Inch	ØD mm	ST	Type	Wt.	Part. No
Rubber gasket	80	3"	88,9	EPDM	VIC	0.1	120449801
Rubber gasket	80	3"	88,9	EPDM	VIC	0.1	120816801

Product	DN	Inch	ØD mm	Ød	L ₁	L ₂	P ₁	P ₂	ST	Type	Wt.	Part. No
Tee	80	3"	88,9	89	216	108	80	69	Galv.	VIC	3.0	122100801

Product	DN	Inch	ØD mm	Thks. mm	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Welding ring	80	3"	88,9	2,2	43	70	0		VIC	0.4	122985820
Welding ring	80	3"	88,9	3,6	43	0	0		VIC	0.6	122985830

MOUNTING GREASE & DENSOAPE

Product	RSK nr.	Order No
Grease, tube, 125 g		300 029 000
Grease, can, 1000 g		300 028 000
Densotape, B=100mm, L=10000mm		800 731 000

Alvenius Size Ø 101 mm Hot Dip Galvanized with K10 Coupling

Product	DN	Inch	Ø OD mm D	Ø ID mm	Thks.	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Pipe	100	4"	101,6	97,6	2,0	200	25	25	Galv.	K10	1.1	100120101
Pipe	100	4"	101,6	97,6	2,0	500	25	25	Galv.	K10	2.7	100104101
Pipe	100	4"	101,6	97,6	2,0	1000	25	25	Galv.	K10	5.2	100105101
Pipe	100	4"	101,6	97,6	2,0	2000	25	25	Galv.	K10	10.8	100106101
Pipe	100	4"	101,6	97,6	2,0	3000	25	25	Galv.	K10	16.1	100107101
Pipe	100	4"	101,6	97,6	2,0	5800	25	25	Galv.	K10	31.0	100111101

Product	DN	Inch	ØD mm	P1+2	A	B	C	Defl.	ST	Type	Wt.	Part. No
Coupling K10 with gasket	100	4"	101,6	25	140	208	46	2,00	Painted	K10	1.5	120290109
Coupling K70 with gasket	100	4"	101,6	16	143	210	46	2,50	Painted	K70	1.8	120903709

Product	DN	Inch	ØD mm	L ₁	L ₂	L ₃	P1+2	ST	Type	Wt.	Part. No
Branch pipes 45°	100	4"	101,6	325	316	112	10	Galv.	K10	3.2	110184101

Product	DN	Inch	ØD mm	L	P1+2	Flange	ST	Type	Wt.	Part. No
Connection with flange	100	4"	101,6	97	16	100	Galv.	K10	5.1	111780101

Product	DN	Inch	ØD mm	Ød	P ₁	P ₂	ST	Type	Wt.	Part. No
Connection with threaded outlet	100	4"	101,6	R2"	25	0	Galv.	K10	0.7	110227101
Connection with threaded outlet	100	4"	101,6	R3"	25	0	Galv.	K10	1.3	110229101
Connection with threaded outlet	100	4"	101,6	R4"	25	0	Galv.	K10	2.8	110230101

Product	DN	Inch	ØD mm	L	P ₁	P ₂	Angl.	ST	Type	Wt.	Part. No
Elbow	100	4"	101,6	53	25	25	7,50	Galv.	K10	0.7	110529101
Elbow	100	4"	101,6	57	25	25	15,00	Galv.	K10	0.7	110530101
Elbow	100	4"	101,6	79	25	25	30,00	Galv.	K10	1.5	110531101
Elbow	100	4"	101,6	98	25	25	45,00	Galv.	K10	1.8	110532101
Elbow	100	4"	101,6	177	25	25	90,00	Galv.	K10	2.8	110534101

Product	DN	Inch	ØD mm	L	P ₁	P ₂	ST	Type	Wt.	Part. No
End cap	100	4"	101,6	17	25	0	Galv.	K10	0.3	110357101

Product	DN	Inch	ØD mm	Ød	L	P1+2	ST	Type	Wt.	Part. No
Hose sockets	100	4"	101,6	4"	215	25	Galv.	K10	2.4	111283101
Hose sockets	100	4"	101,6	3"	250	25	Galv.	K10	1.7	111686101
Hose sockets	100	4"	101,6	2"	208	25	Galv.	K10	1.3	111685101

MOUNTING GREASE & DENSOAPE

More products in this size on the next page >>

Product	RSK nr.	Order No
Grease, tube, 125 g		300 029 000
Grease, can, 1000 g		300 028 000
Densotape, B=100mm, L=10000mm		800 731 000

Alvenius Size Ø 101 mm Hot Dip Galvanized with K10 Coupling

Product	DN	Inch	ØD mm	Ød	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Reducer	100	4"	101,6	48	135	25	25	Galv.	K10	0.5	111861101
Reducer	100	4"	101,6	60	135	25	25	Galv.	K10	0.6	111862101
Reducer	100	4"	101,6	76	85	25	25	Galv.	K10	0.7	111863101

Product	DN	Inch	ØD mm	ST	Type	Wt.	Part. No
Rubber gasket	100	4"	101,6	EPDM	K10	0.1	120296101

Product	DN	Inch	ØD	Ød	L1	L2	P ₁	P ₂	ST	Type	Wt.	Part. No
Tee	100	4"	101,6	48	202	125	25	25	Galv.	K10	1.4	111705101
Tee	100	4"	101,6	60	202	125	25	25	Galv.	K10	1.5	111706101
Tee	100	4"	101,6	76	202	151	25	25	Galv.	K10	1.7	111707101
Tee	100	4"	101,6	102	202	151	18	18	Galv.	K10	1.8	111709101

Product	DN	Inch	ØD mm	Ød	L1	L2	P ₁₊₂	ST	Type	Wt.	Part. No
Tee with threaded outlet	100	4"	101,6	R1"	202	108	25	Galv.	K10	1.4	111752101
Tee with threaded outlet	100	4"	101,6	R2"	202	108	25	Galv.	K10	1.5	111909101
Tee with threaded outlet	100	4"	101,6	R4"	202	165	25	Galv.	K10	2.5	111753101

Product	DN	Inch	ØD mm	L	P ₁₊₂	A	ST	Type	Wt.	Part. No
Valves	100	4"	101,6	142	16	350		K10	0.0	

Product	DN	Inch	ØD mm	Thks. mm	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Welding ring	100	4"	101,6	2,0	43	0	0		K10	0.3	121902100

MOUNTING GREASE & DENSOAPE

Product	RSK nr.	Order No
Grease, tube, 125 g		300 029 000
Grease, can, 1000 g		300 028 000
Densotape, B=100mm, L=10000mm		800 731 000

Alvenius Size Ø 114 mm Hot Dip Galvanized with Victaulic Coupling

Product	DN	Inch	ØD mm	ØID mm	Thks.	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Pipe	100	4"	114,3	110,3	2,0	6000	27	27		VIC	33.2	100422900
Pipe	100	4"	114,3	110,3	2,0	3000	27	27		VIC	16.6	100423900
Pipe	100	4"	114,3	110,3	2,0	5800	41	35	Galv.	VIC	36.0	100420801
Pipe	100	4"	114,3	108,9	2,7	600	80	75	Galv.	VIC	5.0	122434801
Pipe	100	4"	114,3	108,9	2,7	1000	80	75	Galv.	VIC	8.0	122435801
Pipe	100	4"	114,3	108,9	2,7	3000	80	75	Galv.	VIC	25.0	122437801
Pipe	100	4"	114,3	108,9	2,7	5800	80	75	Galv.	VIC	46.1	122439801
Pipe	100	4"	114,3	110,3	2,0	6000	27	27	Galv.	VIC	35.6	100422901
Pipe	100	4"	114,3	110,3	2,0	3000	27	27	Galv.	VIC	17.8	100423901
Pipe	100	4"	114,3	110,3	2,0	6000	27	27	Painted	VIC	33.2	100422910
Pipe	100	4"	114,3	110,3	2,0	3000	27	27	Painted	VIC	16.6	100423910

Product	DN	Inch	ØD mm	P1+2	A	B	C	ST	Type	Wt.	Part. No
Coupling ST07 with gasket	100	4"	114,3	52	148	209	53	Painted	VIC	2.4	120913800

Product	DN	Inch	ØD mm	P1+2	A	B	C	ST	Type	Wt.	Part. No
Coupling HP-70ES with gasket	100	4"	114,3	172	152	238	54	Painted	VIC	3.7	120946800

Product	DN	Inch	ØD mm	P ₁	P ₂	A	B	C	ST	Type	Wt.	Part. No
Coupling ST75 with gasket	100	4"	114,3	35	35	149	196	51	Painted	VIC	1.8	120933800

Product	DN	Inch	ØD mm	P ₁	P ₂	A	B	C	ST	Type	Wt.	Part. No
Coupling ST77 with gasket	100	4"	114,3	80	69	162	216	51	Painted	VIC	3.0	120943800

Product	DN	Inch	ØD	L	P1+2	Flange	ST	Type	Wt.	Part. No
Connection with flange	100	4"	114,3	114	64	100	Galv.	VIC	10.4	111783801
Connection with flange	100	4"	114,3	109	40	100	Galv.	VIC	7.2	111782801

Product	DN	Inch	ØD mm	L	P ₁	P ₂	Angl.	ST	Type	Wt.	Part. No
Elbow	100	4"	114,3	48	80	64	7,50	Galv.	VIC	2.9	122543801
Elbow	100	4"	114,3	44	80	64	11,25	Galv.	VIC	1.6	122542801
Elbow	100	4"	114,3	73	80	64	22,50	Galv.	VIC	2.5	122545801
Elbow	100	4"	114,3	76	80	64	45,00	Galv.	VIC	2.5	122546801
Elbow	100	4"	114,3	127	80	64	90,00	Galv.	VIC	3.2	122548801

Product	DN	Inch	ØD mm	L	P ₁	P ₂	ST	Type	Wt.	Part. No
End cap	100	4"	114,3	25	80	0	Galv.	VIC	1.1	122355801

MOUNTING GREASE & DENSOAPE

More products in this size on the next page >>

Product	RSK nr.	Order No
Grease, tube, 125 g		300 029 000
Grease, can, 1000 g		300 028 000
Densotape, B=100mm, L=10000mm		800 731 000

Alvenius Size Ø 114 mm Hot Dip Galvanized with Victaulic Coupling

Product	DN	Inch	ØD mm	Ød	L1	L2	P ₁	P ₂	ST	Type	Wt.	Part. No
Hydrant pipe, threaded outlet	100	4"	114,3	R2"	600	108	80	64	Galv.	VIC	7.0	122717801

Product	DN	Inch	ØD mm	Ød	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Reducer	100	4"	114,3	60	76	80	64	Galv.	VIC	1.1	122044801
Reducer	100	4"	114,3	76	76	80	64	Galv.	VIC	1.2	122047801
Reducer	100	4"	114,3	89	76	80	64	Galv.	VIC	1.4	122870801

Product	DN	Inch	ØD mm	ST	Type	Wt.	Part. No				
Rubber gasket	100	4"	114,3	EPDM	VIC	0.2	120805801				
Rubber gasket	100	4"	114,3	EPDM	VIC	0.2	120805803				
Rubber gasket	100	4"	114,3	Nitrile	VIC	0.2	120805802				

Product	DN	Inch	ØD mm	Ød	L1	L2	P ₁	P ₂	ST	Type	Wt.	Part. No
Tee	100	4"	114,3	60	254	127	80	69	Galv.	VIC	5.1	122737801
Tee	100	4"	114,3	114	254	127	80	69	Galv.	VIC	5.4	122105801

Product	DN	Inch	ØD mm	Ød	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Transition, VIC-K10	100	4"	114,3	102	90	40	0	Galv.	K10, VIC	1.0	112046801

Product	DN	Inch	ØD mm	Thks.	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Welding ring	100	4"	114,3	2,0	43	40	0		VIC	0.5	122851810
Welding ring	100	4"	114,3	2,7	43	0	0		VIC	0.6	122851820
Welding ring	100	4"	114,3	4,0	43	0	0		VIC	0.6	122851830

MOUNTING GREASE & DENSOAPE

Product	RSK nr.	Order No
Grease, tube, 125 g		300 029 000
Grease, can, 1000 g		300 028 000
Densotape, B=100mm, L=10000mm		800 731 000

Alvenius Size Ø 140 mm Hot Dip Galvanized with Victaulic Coupling

Product	DN	Inch	ØD mm	ØID mm	Thks.	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Pipe	125	5"	139,7	134,7	2,5	6000	24	24		VIC	50,7	100823900
Pipe	125	5"	139,7	134,7	2,5	3000	24	24		VIC	25,4	100824900
Pipe	125	5"	139,7	135,5	2,1	5800	47	37	Galv.	VIC	44,0	122816801
Pipe	125	5"	139,7	133,1	3,3	5800	80	76	Galv.	VIC	67,0	122822801
Pipe	125	5"	139,7	133,1	3,3	600	80	76	Galv.	VIC	7,0	122829801
Pipe	125	5"	139,7	133,1	3,3	3000	80	76	Galv.	VIC	36,0	122821801
Pipe	125	5"	139,7	133,1	3,3	1000	80	76	Galv.	VIC	11,7	122820801
Pipe	125	5"	139,7	134,7	2,5	6000	24	24	Galv.	VIC	54,3	100823901
Pipe	125	5"	139,7	134,7	2,5	3000	24	24	Galv.	VIC	27,2	100824901
Pipe	125	5"	139,7	134,7	2,5	6000	24	24	Painted	VIC	50,7	100823910
Pipe	125	5"	139,7	134,7	2,5	3000	24	24	Painted	VIC	25,4	100824910

Product	DN	Inch	ØD mm	P ₁ +2	A	B	C	ST	Type	Wt.	Part. No
Coupling ST07 with gasket	125	5"	139,7	48	176	249	53	Painted	VIC	3,4	120914800

Product	DN	Inch	ØD mm	P ₁	P ₂	A	B	C	ST	Type	Wt.	Part. No
Coupling ST75 with gasket	125	5"	139,7	31	31	170	230	51	Painted	VIC	2,4	120937800

Product	DN	Inch	ØD mm	P ₁	P ₂	A	B	C	ST	Type	Wt.	Part. No
Coupling ST77 with gasket	125	5"	139,7	80	69	193	240	51	Painted	VIC	4,8	120813800

Product	DN	Inch	ØD mm	L	P ₁ +2	Flange	ST	Type	Wt.	Part. No
Connection with flange	125	5"	139,7	113	40	125	Galv.	VIC	10,5	111787801
Connection with flange	125	5"	139,7	133	64	125	Galv.	VIC	16,1	111788801

Product	DN	Inch	ØD mm	L	P ₁	P ₂	Angl.	ST	Type	Wt.	Part. No
Elbow	125	5"	139,7	53	80	64	7,50	Galv.	VIC	4,2	122600801
Elbow	125	5"	139,7	53	80	64	15,00	Galv.	VIC	4,2	122601801
Elbow	125	5"	139,7	96	80	64	30,00	Galv.	VIC	3,0	122602801
Elbow	125	5"	139,7	83	80	64	45,00	Galv.	VIC	3,8	122603801
Elbow	125	5"	139,7	140	80	64	90,00	Galv.	VIC	5,3	122604801

Product	DN	Inch	ØD mm	L	P ₁	P ₂	ST	Type	Wt.	Part. No
End cap	125	5"	139,7	25	80	0	Galv.	VIC	2,0	122385801

Product	DN	Inch	ØD mm	Ød	L1	L2	P ₁	P ₂	ST	Type	Wt.	Part. No
Hydrant pipe, threaded outlet	125	5"	139,7	R2"	600	120	80	64	Galv.	VIC	9,6	122918801

MOUNTING GREASE & DENSOAPE

More products in this size on the next page >>

Product	RSK nr.	Order No
Grease, tube, 125 g		300 029 000
Grease, can, 1000 g		300 028 000
Densotape, B=100mm, L=10000mm		800 731 000

Alvenius Size Ø 140 mm Hot Dip Galvanized with Victaulic Coupling

Product	DN	Inch	ØD mm	Ød	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Reducer	125	5"	139,7	89	102	80	64	Galv.	VIC	2.9	122897801
Reducer	125	5"	139,7	114	89	80	64	Galv.	VIC	3.1	122048801

Product	DN	Inch	ØD mm	ST	Type	Wt.	Part. No
Rubber gasket	125	5"	139,7	EPDM	VIC	0.2	120798801
Rubber gasket	125	5"	139,7	Nitrile	VIC	0.2	120798802

Product	DN	Inch	ØD mm	Ød	L1	L2	P ₁	P ₂	ST	Type	Wt.	Part. No
Tee	125	5"	139,7	139	280	140	80	69	TP	VIC	8.1	122109805

Product	DN	Inch	ØD mm	Ød	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Transition, VIC-K10	100	4"	114,3	102	90	40	0	Galv.	K10, VIC	1.0	112046801

Product	DN	Inch	ØD mm	Thks.	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Welding ring	125	5"	139,7	2,5	43	0	0		VIC	0.6	120852810
Welding ring	125	5"	139,7	3,3	43	0	0		VIC	0.7	122852820
Welding ring	125	5"	139,7	4,5	43	0	0		VIC	0.7	122852830

MOUNTING GREASE & DENSOAPE

Product	RSK nr.	Order No
Grease, tube, 125 g		300 029 000
Grease, can, 1000 g		300 028 000
Densotape, B=100mm, L=10000mm		800 731 000

Alvenius Size Ø 152 mm Hot Dip Galvanized with K10 Coupling

Product	DN	Inch	ØD mm	ØID mm	Thks.	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Pipe	150	6"	152,4	148,2	2,1	500	40	40	Galv.	K10	4.4	100144111
Pipe	150	6"	152,4	148,2	2,1	1000	40	40	Galv.	K10	7.8	100145111
Pipe	150	6"	152,4	148,2	2,1	2000	40	40	Galv.	K10	16.4	100146111
Pipe	150	6"	152,4	148,2	2,1	3000	40	40	Galv.	K10	24.0	100147111
Pipe	150	6"	152,4	148,2	2,1	5800	40	40	Galv.	K10	46.1	100160101
Pipe	150	6"	152,4	148,2	2,1	200	40	40	Galv.	K10	2.0	100142111
Pipe	150	6"	152,4	147,4	2,5	500	25	25	Galv.	K10	5.2	100144101
Pipe	150	6"	152,4	147,4	2,5	1000	25	25	Galv.	K10	9.9	100145101
Pipe	150	6"	152,4	147,4	2,5	2000	25	25	Galv.	K10	20.2	100146101
Pipe	150	6"	152,4	147,4	2,5	3000	25	25	Galv.	K10	30.0	100147101
Pipe	150	6"	152,4	147,4	2,5	5800	25	25	Galv.	K10	57.4	100151101

Product	DN	Inch	ØD mm	P ₁₊₂	A	B	C	Defl.	ST	Type	Wt.	Part. No
Coupling K10 with gasket	150	6"	152,4	25	202	280	55	2,10	Painted	K10	2.9	120311109

Product	DN	Inch	ØD mm	L ₁	L ₂	L ₃	P ₁₊₂	ST	Type	Wt.	Part. No
Branch pipes 45°	150	6"	152,4	400	380	125	8	Galv.	K10	7.3	110189101

Product	DN	Inch	ØD mm	L	P ₁₊₂	Flange	ST	Type	Wt.	Part. No
Connection with flange	150	6"	152,4	100	16	125	Galv.	K10	9.0	111763101

Product	DN	Inch	ØD mm	Ød	P ₁	P ₂	ST	Type	Wt.	Part. No
Connection with threaded outlet	150	6"	152,4	R6"	25	0	Galv.	K10	4.6	110237101

Product	DN	Inch	ØD mm	L	P ₁	P ₂	Angl.	ST	Type	Wt.	Part. No
Elbow	150	6"	152,4	50	40	40	7,50	Galv.	K10	1.5	112401101
Elbow	150	6"	152,4	57	40	40	15,00	Galv.	K10	1.8	112402101
Elbow	150	6"	152,4	79	40	40	30,00	Galv.	K10	3.4	112403101
Elbow	150	6"	152,4	98	40	40	45,00	Galv.	K10	4.4	112404101
Elbow	150	6"	152,4	177	40	40	90,00	Galv.	K10	7.3	112405101
Elbow	150	6"	152,4	50	25	25	7,50	Galv.	K10	1.5	110585101
Elbow	150	6"	152,4	57	25	25	15,00	Galv.	K10	1.8	110586101
Elbow	150	6"	152,4	79	25	25	30,00	Galv.	K10	3.4	110587101
Elbow	150	6"	152,4	98	25	25	45,00	Galv.	K10	4.4	110588101
Elbow	150	6"	152,4	177	25	25	90,00	Galv.	K10	7.3	110590101

Product	DN	Inch	ØD mm	L	P ₁	P ₂	ST	Type	Wt.	Part. No
End cap	150	6"	152,4	20	25	0	Galv.	K10	0.9	110361101

MOUNTING GREASE & DENSOAPE

More products in this size on the next page >>

Product	RSK nr.	Order No
Grease, tube, 125 g		300 029 000
Grease, can, 1000 g		300 028 000
Densotape, B=100mm, L=10000mm		800 731 000

Alvenius Size Ø 152 mm Hot Dip Galvanized with K10 Coupling

Product	DN	Inch	ØD mm	Ød	L	P1+2	ST	Type	Wt.	Part. No
Hose sockets	150	6"	152,4	6"	257	25	Galv.	K10	5.0	111285101

Product	DN	Inch	ØD mm	Ød	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Reducer	150	6"	152,4	48	147	25	25	Galv.	K10	2.9	111866101
Reducer	150	6"	152,4	76	130	25	25	Galv.	K10	2.1	111867101
Reducer	150	6"	152,4	102	85	25	25	Galv.	K10	1.2	111868101

Product	DN	Inch	ØD mm	ST	Type	Wt.	Part. No
Rubber gasket	150	6"	152,4	EPDM	K10	0.2	120315101

Product	DN	Inch	ØD mm	Ød	L1	L2	P ₁	P ₂	ST	Type	Wt.	Part. No
Tee	150	6"	152,4	76	252	151	21	21	Galv.	K10	3.2	111712101
Tee	150	6"	152,4	102	252	176	18	18	Galv.	K10	3.4	111713101
Tee	150	6"	152,4	152	252	176	14	14	Galv.	K10	4.0	111715101

Product	DN	Inch	ØD mm	Ød	L1	L2	P1+2	ST	Type	Wt.	Part. No
Tee with threaded outlet	150	6"	152,4	R1"	252	135	25	Galv.	K10	3.1	111756101
Tee with threaded outlet	150	6"	152,4	R2"	252	126	25	Galv.	K10	3.4	111910101
Tee with threaded outlet	150	6"	152,4	R4"	252	206	25	Galv.	K10	4.1	111757101

Product	DN	Inch	ØD mm	L	P1+2	A	ST	Type	Wt.	Part. No
Valves	150	6"	152,4	200	16	485		K10	0.0	

Product	DN	Inch	ØD mm	Thks.	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Welding ring	150	6"	152,4	2,5	43	0	0		K10	0.7	121904100

MOUNTING GREASE & DENSTAPE

Product	RSK nr.	Order No
Grease, tube, 125 g		300 029 000
Grease, can, 1000 g		300 028 000
Densotape, B=100mm, L=10000mm		800 731 000

Alvenius Size Ø 168 mm Hot Dip Galvanized with Victaulic Coupling

Product	DN	Inch	ØD mm	ØID mm	Thks.	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Pipe	150	6"	168,3	163,3	2,5	6000	24	24		VIC	61.3	100444900
Pipe	150	6"	168,3	163,3	2,5	3000	24	24		VIC	30.7	100445900
Pipe	150	6"	168,3	163,3	2,5	6000	24	24	Galv.	VIC	65.6	100444901
Pipe	150	6"	168,3	163,3	2,5	3000	24	24	Galv.	VIC	32.8	100445901
Pipe	150	6"	168,3	164,1	2,1	5800	40	31	Galv.	VIC	54.0	122445801
Pipe	150	6"	168,3	162,7	2,8	600	80	76	Galv.	VIC	8.0	122446801
Pipe	150	6"	168,3	162,7	2,8	1000	80	76	Galv.	VIC	13.0	122762801
Pipe	150	6"	168,3	162,7	2,8	3000	80	76	Galv.	VIC	50.0	122763801
Pipe	150	6"	168,3	162,7	2,8	5800	80	76	Galv.	VIC	70.0	122447801
Pipe	150	6"	168,3	163,3	2,5	6000	24	24	Painted	VIC	61.3	100444910
Pipe	150	6"	168,3	163,3	2,5	3000	24	24	Painted	VIC	30.7	100445910

Product	DN	Inch	ØD mm	P1+2	A	B	C	ST	Type	Wt.	Part. No
Coupling ST07 with gasket	150	6"	168,3	48	210	275	53	Painted	VIC	3.8	120915800

Product	DN	Inch	ØD mm	P1+2	A	B	C	ST	Type	Wt.	Part. No
Coupling HP-70ES with gasket	150	6"	168,3	137	216	305	60	Painted	VIC	7.4	120947800

Product	DN	Inch	ØD mm	P ₁	P ₂	A	B	C	ST	Type	Wt.	Part. No
Coupling ST75 with gasket	150	6"	168,3	31	31	203	279	51	Painted	VIC	3.0	120935800

Product	DN	Inch	ØD mm	P ₁	P ₂	A	B	C	ST	Type	Wt.	Part. No
Coupling ST77 with gasket	150	6"	168,3	80	69	229	292	51	Painted	VIC	5.2	120811800

Product	DN	Inch	ØD mm	L	P1+2	Flange	ST	Type	Wt.	Part. No
Connection with flange	150	6"	168,3	120	40	150	Galv.	VIC	12.6	111765801
Connection with flange	150	6"	168,3	140	64	150	Galv.	VIC	23.3	111766801

Product	DN	Inch	ØD mm	L	P ₁	P ₂	Angl.	ST	Type	Wt.	Part. No
Elbow	150	6"	168,3	159	80	64	22,50	Galv.	VIC	5.5	122378801
Elbow	150	6"	168,3	55	80	64	7,50	Galv.	VIC	6.2	122376801
Elbow	150	6"	168,3	51	80	64	11,25	Galv.	VIC	3.2	122380801
Elbow	150	6"	168,3	76	80	64	45,00	Galv.	VIC	4.9	122379801
Elbow	150	6"	168,3	127	80	64	90,00	Galv.	VIC	7.8	122381801

Product	DN	Inch	ØD mm	L	P ₁	P ₂	ST	Type	Wt.	Part. No
End cap	150	6"	168,3	25	80	0	Galv.	VIC	2.8	122383801

MOUNTING GREASE & DENSOAPE

More products in this size on the next page >>

Product	RSK nr.	Order No
Grease, tube, 125 g		300 029 000
Grease, can, 1000 g		300 028 000
Densotape, B=100mm, L=10000mm		800 731 000

Alvenius Size Ø 168 mm Hot Dip Galvanized with Victaulic Coupling

Product	DN	Inch	ØD mm	Ød	L1	L2	P ₁	P ₂	ST	Type	Wt.	Part. No
Hydrant pipe, threaded outlet	150	6"	168,3	R2"	600	134	80	64	Galv.	VIC	15.1	122719801

Product	DN	Inch	ØD mm	Ød	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Reducer	150	6"	168,3	60	102	80	64	Galv.	VIC	3.0	122858801
Reducer	150	6"	168,3	89	102	80	64	Galv.	VIC	2.9	122859801
Reducer	150	6"	168,3	114	102	80	64	Galv.	VIC	2.9	122876801
Reducer	150	6"	168,3	139	102	80	64	Galv.	VIC	2.9	122875801

Product	DN	Inch	ØD mm	ST	Type	Wt.	Part. No				
Rubber gasket	150	6"	168,3	EPDM	VIC	0.2	120806801				
Rubber gasket	150	6"	168,3	EPDM	VIC	0.2	120810801				
Rubber gasket	150	6"	168,3	Nitrile	VIC	0.2	120806802				

Product	DN	Inch	ØD mm	Ød	L1	L2	P ₁	P ₂	ST	Type	Wt.	Part. No
Tee	150	6"	168,3	60	330	165	80	69	Galv.	VIC	11.7	122736801
Tee	150	6"	168,3	76	330	165	80	69	Galv.	VIC	11.7	122720801
Tee	150	6"	168,3	168	330	165	80	69	Galv.	VIC	11.7	122115801

Product	DN	Inch	ØD mm	Ød	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Transition, VIC-K10	150	6"	168,3	152	87	40	0	Galv.	K10, VIC	3.0	111874801

Product	DN	Inch	ØD mm	Thks.	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Welding ring	150	6"	168,3	2,6	43	0	0		VIC	0.9	122855810
Welding ring	150	6"	168,3	3,3	43	0	0		VIC	1.0	122855820
Welding ring	150	6"	168,3	6,1	43	0	0		VIC	1.0	122855840

MOUNTING GREASE & DENSOAPE

Product	RSK nr.	Order No
Grease, tube, 125 g		300 029 000
Grease, can, 1000 g		300 028 000
Densotape, B=100mm, L=10000mm		800 731 000

Alvenius Size Ø 203 mm Hot Dip Galvanized with K10 Coupling

Product	DN	Inch	ØD mm	ØID mm	Thks.	L	P1	P2	ST	Type	Wt.	Part. No
Pipe	200	8"	203,0	197	3,0	500	16	16	Galv.	K10	9.9	100193101
Pipe	200	8"	203,0	197	3,0	1000	16	16	Galv.	K10	17.7	100194101
Pipe	200	8"	203,0	197	3,0	2000	16	16	Galv.	K10	33.3	100195101
Pipe	200	8"	203,0	197	3,0	3000	16	16	Galv.	K10	48.8	100196101
Pipe	200	8"	203,0	197	3,0	5800	16	16	Galv.	K10	92.4	100192101

Product	DN	Inch	ØD mm	P1+2	A	B	C	Defl.	ST	Type	Wt.	Part. No
Coupling K10 with gasket	200	8"	203,0	16	267	350	83	2,10	Painted	K10	6.7	120330109

	DN	Inch	ØD mm	L	P1+2	Flange	ST	Type	Wt.	Part. No	
Connection with flange	200	8"	203,0	112	10	150	Galv.	K10	14.2	111789101	

Product	DN	Inch	ØD mm	L	P1	P2	Angl.	ST	Type	Wt.	Part. No
Elbow	200	8"	203,0	62	16	16	7,50	Galv.	K10	5.0	111220101
Elbow	200	8"	203,0	81	16	16	15,00	Galv.	K10	6.2	111221101
Elbow	200	8"	203,0	120	16	16	30,00	Galv.	K10	8.2	111222101
Elbow	200	8"	203,0	162	16	16	45,00	Galv.	K10	11.3	111223101
Elbow	200	8"	203,0	331	16	16	90,00	Galv.	K10	19.1	111225101

Product	DN	Inch	ØD mm	L	P1	P2	ST	Type	Wt.	Part. No	
End cap	200	8"	203,0	123	16	0	Galv.	K10	4.4	110364101	

Product	DN	Inch	ØD mm	Ød	L	P1+2	ST	Type	Wt.	Part. No	
Hose sockets	150	6"	152,4	6"	257	25	Galv.	K10	5.0	111285101	

Product	DN	Inch	ØD mm	Ød	L	P1	P2	ST	Type	Wt.	Part. No
Reducer	200	8"	203,0	152	191	16	16	Galv.	K10	4.5	111875101

Product	DN	Inch	ØD mm	ST	Type	Wt.	Part. No				
Rubber gasket	200	8"	203,0	EPDM	K10	0.2	120334101				

Product	DN	Inch	ØD mm	Ød	L1	L2	P1	P2	ST	Type	Wt.	Part. No
Tee	200	8"	203,0	152	509	202	14	14	Galv.	K10	11.0	111727101
Tee	200	8"	203,0	203	509	255	12	12	Galv.	K10	14.1	111728101

Product	DN	Inch	ØD mm	L	P1+2	A	ST	Type	Wt.	Part. No	
Valves	200	8"	203,0	270	16	520		K10	0.0		

Product	DN	Inch	ØD mm	Thks.	L	P1	P2	ST	Type	Wt.	Part. No
Welding ring	200	8"	203,0	3,0	43	0	0		K10	1.7	120334100

Alvenius Size Ø 219 mm Hot Dip Galvanized with Victaulic Coupling

Product	DN	Inch	ØD mm	ØID mm	Thks.	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Pipe	200	8"	219,1	211,9	3,6	6000	17	17		VIC	114.7	122878900
Pipe	200	8"	219,1	211,9	3,6	3000	17	17		VIC	57.4	122877900
Pipe	200	8"	219,1	211,9	3,6	6000	17	17	Galv.	VIC	122.8	122878901
Pipe	200	8"	219,1	211,9	3,6	3000	17	17	Galv.	VIC	61.4	122877901
Pipe	200	8"	219,1	211,9	3,6	600	80	76	Galv.	VIC	13.0	122920801
Pipe	200	8"	219,1	213,1	3,0	5800	44	41	Galv.	VIC	98.0	100876801
Pipe	200	8"	219,1	211,9	3,6	6000	17	17	Painted	VIC	114.7	122878910
Pipe	200	8"	219,1	211,9	3,6	3000	17	17	Painted	VIC	57.4	122877910

Product	DN	Inch	ØD mm	P1+2	A	B	C	ST	Type	Wt.	Part. No
Coupling ST07 with gasket	200	8"	219,1	41	268	349	644	Painted	VIC	6.8	120949800

Product	DN	Inch	ØD mm	P1+2	A	B	C	ST	Type	Wt.	Part. No
Coupling HP-70ES with gasket	200	8"	219,1	137	279	365	70	Painted	VIC	11.8	120948800

Product	DN	Inch	ØD mm	P ₁	P ₂	A	B	C	ST	Type	Wt.	Part. No
Coupling ST75 with gasket	200	8"	219,1	31	31	260	356	60	Painted	VIC	5.6	120936800

Product	DN	Inch	ØD mm	P ₁	P ₂	A	B	C	ST	Type	Wt.	Part. No
Coupling ST77 with gasket	200	8"	219,1	80	55	298	368	60	Painted	VIC	9.1	120804800

Product	DN	Inch	ØD mm	L	P1+2	Flange	ST	Type	Wt.	Part. No
Connection with flange	200	8"	219,1	133	40	200	Galv.	VIC	22.1	111792801
Connection with flange	200	8"	219,1	155	64	200	Galv.	VIC	36.8	111793801

Product	DN	Inch	ØD mm	L	P ₁	P ₂	Angl.	ST	Type	Wt.	Part. No
Elbow	200	8"	219,1	65	80	55	7,50	Galv.	VIC	6.9	122641801
Elbow	200	8"	219,1	51	80	55	11,25	Galv.	VIC	4.6	122645801
Elbow	200	8"	219,1	197	80	55	22,50	Galv.	VIC	9.1	122643801
Elbow	200	8"	219,1	108	80	55	45,00	Galv.	VIC	9.3	122644801
Elbow	200	8"	219,1	197	80	55	90,00	Galv.	VIC	13.6	122646801

Product	DN	Inch	ØD mm	L	P ₁	P ₂	ST	Type	Wt.	Part. No
End cap	200	8"	219,1	30	80	0	Galv.	VIC	5.9	122384801

MOUNTING GREASE & DENSOAPE

Product	RSK nr.	Order No
Grease, tube, 125 g		300 029 000
Grease, can, 1000 g		300 028 000
Densotape, B=100mm, L=10000mm		800 731 000

Alvenius Size Ø 219 mm Hot Dip Galvanized with Victaulic Coupling

Product	DN	Inch	ØD mm	Ød	L1	L2	P ₁	P ₂	ST	Type	Wt.	Part. No
Hydrant pipe, threaded outlet	200	8"	219,1	R2"	600	165	80	64	Galv.	VIC	25.0	122916801

Product	DN	Inch	ØD mm	Ød	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Reducer	200	8"	219,1	168	127	80	64	Galv.	VIC	5.4	122877801
Reducer	200	8"	219,1	114	127	80	64	Galv.	VIC	5.4	122890801
Reducer	200	8"	219,1	139	127	80	64	Galv.	VIC	5.2	122054801

Product	DN	Inch	ØD mm	ST	Type	Wt.	Part. No
Rubber gasket	200	8"	219,1	EPDM	VIC	0.3	120807801
Rubber gasket	200	8"	219,1	EPDM	VIC	0.3	120817801

Product	DN	Inch	ØD mm	Ød	L1	L2	P ₁	P ₂	ST	Type	Wt.	Part. No
Tee	200	8"	219,1	168	394	197	80	55	Galv.	VIC	19.2	122731801
Tee	200	8"	219,1	219	394	197	80	55	Galv.	VIC	21.6	122120801

Product	DN	Inch	ØD mm	Ød	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Transition, VIC-K10	200	8"	219,1	203	148	16	0	Galv.	K10, VIC	8.0	111879801

Product	DN	Inch	ØD mm	Thks.	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Welding ring	200	8"	219,1	3,6	43	0	0		VIC	1.5	122865810
Welding ring	200	8"	219,1	4,2	43	0	0		VIC	1.5	122865820
Welding ring	200	8"	219,1	7,7	43	0	0		VIC	2.1	122865840

MOUNTING GREASE & DENSOAPE

Product	RSK nr.	Order No
Grease, tube, 125 g		300 029 000
Grease, can, 1000 g		300 028 000
Densotape, B=100mm, L=10000mm		800 731 000

Alvenius Size Ø 254 mm Hot Dip Galvanized with K10 Coupling

Product	DN	Inch	ØD mm	ØID mm	Thks.	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Pipe	250	10"	254,0	248,0	3,0	500	16	16	Galv.	K10	12.0	100213101
Pipe	250	10"	254,0	248,0	3,0	1000	16	16	Galv.	K10	21.6	100214101
Pipe	250	10"	254,0	248,0	3,0	2000	16	16	Galv.	K10	40.8	100215101
Pipe	250	10"	254,0	248,0	3,0	3000	16	16	Galv.	K10	60.1	100216101
Pipe	250	10"	254,0	248,0	3,0	5800	16	16	Galv.	K10	119.0	100212101

Product	DN	Inch	ØD mm	P ₁₊₂	A	B	C	Defl.	ST	Type	Wt.	Part. No
Coupling K10 with gasket	250	10"	254,0	16	328	419	84	1,40	Painted	K10	10.9	120345109

Product	DN	Inch	ØD mm	L	P ₁₊₂	Flange	ST	Type	Wt.	Part. No	
Connection with flange	250	10"	254,0	118	10	250	Galv.	K10	18.8	111795101	

Product	DN	Inch	ØD mm	L	P ₁	P ₂	Angl.	ST	Type	Wt.	Part. No
Elbow	250	10"	254,0	73	16	16	7,50	Galv.	K10	10.2	111075101
Elbow	250	10"	254,0	98	16	16	15,00	Galv.	K10	10.8	111076101
Elbow	250	10"	254,0	150	16	16	30,00	Galv.	K10	15.8	111077101
Elbow	250	10"	254,0	206	16	16	45,00	Galv.	K10	19.0	111078101
Elbow	250	10"	254,0	429	16	16	90,00	Galv.	K10	30.7	111080101

Product	DN	Inch	ØD mm	L	P ₁	P ₂	ST	Type	Wt.	Part. No	Part. No
End cap	250	10"	254,0	135	16	0	Galv.	K10	8.1		121898100

Product	DN	Inch	ØD mm	Ød	L	P ₁	P ₂	ST	Type	Wt.	Part. No	Part. No
Reducer	250	10"	254,0	203	278	16	16	Galv.	K10	9.1		120900709

Product	DN	Inch	ØD mm	ST	Type	Wt.	Part. No			
Rubber gasket	250	10"	254,0	EPDM	K10	0.4	120349101			

Product	DN	Inch	ØD mm	Ød	L1	L2	P ₁	P ₂	ST	Type	Wt.	Part. No
Tee	250	10"	254,0	254	560	280	12	12	Galv.	K10	19.5	111733101

Product	DN	Inch	ØD mm	Thks.	L	P ₁	P ₂	ST	Type	Wt.	Part. No	
Welding ring	250	10"	254,0	3,0	48	0	0		K10	2.7	120347100	

MOUNTING GREASE & DENSOAPE

Product	RSK nr.	Order No
Grease, tube, 125 g		300 029 000
Grease, can, 1000 g		300 028 000
Densotape, B=100mm, L=10000mm		800 731 000

Alvenius Size Ø 273 mm Hot Dip Galvanized with Victaulic Coupling

Product	DN	Inch	ØD mm	ØID mm	Thks.	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Pipe	250	10"	273,0	265,8	3,6	6000	17	17		VIC	143.5	122771900
Pipe	250	10"	273,0	265,8	3,6	3000	17	17		VIC	71.8	122773900
Pipe	250	10"	273,0	265,8	3,6	6000	17	17	Galv.	VIC	153.5	122771901
Pipe	250	10"	273,0	265,8	3,6	3000	17	17	Galv.	VIC	76.8	122773901
Pipe	250	10"	273,0	267,0	3,0	3000	35	33	Galv.	VIC	64.0	100329801
Pipe	250	10"	273,0	267,0	3,0	5800	35	33	Galv.	VIC	129.0	100328801
Pipe	250	10"	273,0	265,8	3,6	600	65	61	Galv.	VIC	16.0	122340801
Pipe	250	10"	273,0	265,8	3,6	1000	65	61	Galv.	VIC	25.0	122325801
Pipe	250	10"	273,0	265,8	3,6	3000	65	61	Galv.	VIC	73.0	122327801
Pipe	250	10"	273,0	265,8	3,6	5800	65	61	Galv.	VIC	146.0	122330801
Pipe	250	10"	273,0	264,2	4,4	600	80	75	Galv.	VIC	20.0	122343801
Pipe	250	10"	273,0	264,2	4,4	1000	80	75	Galv.	VIC	32.0	122345801
Pipe	250	10"	273,0	264,2	4,4	3000	80	75	Galv.	VIC	96.0	122346801
Pipe	250	10"	273,0	264,2	4,4	5800	80	75	Galv.	VIC	176.0	122533801
Pipe	250	10"	273,0	265,8	3,6	6000	17	17	Painted	VIC	143.5	122771910
Pipe	250	10"	273,0	265,8	3,6	3000	17	17	Painted	VIC	71.8	122773910

Product	DN	Inch	ØD mm	P1+2	A	B	C	ST	Type	Wt.	Part. No
Coupling ST07 with gasket	250	10"	273,0	35	327	431	65	Painted	VIC	10.7	120916800

Product	DN	Inch	ØD mm	P1+2	A	B	C	ST	Type	Wt.	Part. No
Coupling HP-70ES with gasket	250	10"	273,0	137	346	425	76	Painted	VIC	14.9	120827800

Product	DN	Inch	ØD mm	P ₁	P ₂	A	B	C	ST	Type	Wt.	Part. No
Coupling ST77 with gasket	250	10"	273,0	80	55	343	425	64	Painted	VIC	12.8	120825800

Product	DN	Inch	ØD mm	L	P1+2	Flange	ST	Type	Wt.	Part. No
Connection with flange	250	10"	273,0	175	40	250	Galv.	VIC	57.3	111798801
Connection with flange	250	10"	273,0	175	64	250	TP	VIC	54.4	111798805

Product	DN	Inch	ØD mm	L	P ₁	P ₂	Angl.	ST	Type	Wt.	Part. No
Elbow	250	10"	273,0	75	80	55	7,50	Galv.	VIC	6.9	122669801
Elbow	250	10"	273,0	100	80	55	15,00	Galv.	VIC	6.9	122670801
Elbow	250	10"	273,0	152	80	55	30,00	Galv.	VIC	11.0	122671801
Elbow	250	10"	273,0	121	80	55	45,00	Galv.	VIC	17.0	122672801
Elbow	250	10"	273,0	229	80	55	90,00	Galv.	VIC	28.7	122674801

Product	DN	Inch	ØD mm	L	P ₁	P ₂	ST	Type	Wt.	Part. No
End cap	250	10"	273,0	32	80	0	Galv.	VIC	9.5	122369801

MOUNTING GREASE & DENSOTAPE

More products in this size on the next page >>

Product	RSK nr.	Order No
Grease, tube, 125 g		300 029 000
Grease, can, 1000 g		300 028 000
Densotape, B=100mm, L=10000mm		800 731 000

Alvenius Size Ø 273 mm Hot Dip Galvanized with Victaulic Coupling

Product	DN	Inch	ØD mm	Ød	L1	L2	P ₁	P ₂	ST	Type	Wt.	Part. No
Hydrant pipe, threaded outlet	250	10"	273,0	R2"	600	187	80	64	Galv.	VIC	34.4	122742801

Product	DN	Inch	ØD mm	Ød	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Reducer	250	10"	273,0	219	278	80	64	Galv.	VIC	12.0	122828801
Reducer	250	10"	273,0	219	278	80	64	Galv.	VIC	8.9	122882801

Product	DN	Inch	ØD mm	ST	Type	Wt.	Part. No
Rubber gasket	250	10"	273,0	EPDM	VIC	0.4	120799801
Rubber gasket	250	10"	273,0	EPDM	VIC	0.4	120827800

Product	DN	Inch	ØD mm	Ød	L1	L2	P ₁	P ₂	ST	Type	Wt.	Part. No
Tee	250	10"	273,0	273	458	229	80	55	Galv.	VIC	44.9	122735801

Product	DN	Inch	ØD mm	Ød	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Transition, VIC-K10	200	8"	219,1	203	148	16	0	Galv.	K10, VIC	8.0	111879801

Product	DN	Inch	ØD mm	Thks.	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Welding ring	250	10"	273,0	3,7	48	0	0		VIC	1.9	122356810
Welding ring	250	10"	273,0	3,7	48	0	0		VIC	1.9	122356810
Welding ring	250	10"	273,0	4,3	48	0	0		VIC	1.9	122356820
Welding ring	250	10"	273,0	5,1	48	0	0		VIC	1.9	122356830
Welding ring	250	10"	273,0	8,8	48	0	0		VIC	2.0	122356850

MOUNTING GREASE & DENSOAPE

Product	RSK nr.	Order No
Grease, tube, 125 g		300 029 000
Grease, can, 1000 g		300 028 000
Densotape, B=100mm, L=10000mm		800 731 000

Alvenius Size Ø 323 mm Hot Dip Galvanized with Victaulic Coupling

Product	DN	Inch	ØD mm	ØID mm	Thks.	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Pipe	300	12"	323,0	314,2	4,4	6000	14	14		VIC	207.4	122864900
Pipe	300	12"	323,0	314,2	4,4	3000	14	14		VIC	104.0	122863900
Pipe	300	12"	323,0	314,2	4,4	6000	14	14	Galv.	VIC	222.6	122864901
Pipe	300	12"	323,0	314,2	4,4	3000	14	14	Galv.	VIC	111.3	122863901
Pipe	300	12"	323,0	317,0	3,0	600	30	28	Galv.	VIC	18.0	100767801
Pipe	300	12"	323,0	317,0	3,0	3000	30	28	Galv.	VIC	77.0	100765801
Pipe	300	12"	323,0	317,0	3,0	5800	30	28	Galv.	VIC	147.0	100766801
Pipe	300	12"	323,0	314,2	4,4	600	68	64	Galv.	VIC	24.0	122862801
Pipe	300	12"	323,0	314,2	4,4	3000	68	64	Galv.	VIC	109.0	122863801
Pipe	300	12"	323,0	314,2	4,4	5800	68	64	Galv.	VIC	210.0	122869801
Pipe	300	12"	323,0	311,6	5,7	600	80	64	Galv.	VIC	29.0	122960801
Pipe	300	12"	323,0	311,6	5,7	3000	80	64	Galv.	VIC	138.0	122316801
Pipe	300	12"	323,0	311,6	5,7	5800	80	64	Galv.	VIC	266.0	122319801
Pipe	300	12"	323,0	314,2	4,4	6000	14	14	Painted	VIC	207.4	122864910
Pipe	300	12"	323,0	314,2	4,4	3000	14	14	Painted	VIC	103.7	122863910

Product	DN	Inch	ØD mm	P1+2	A	B	C	ST	Type	Wt.	Part. No
Coupling ST07 with gasket	300	12"	323,0	28	377	480	65	Painted	VIC	12.8	120917800

Product	DN	Inch	ØD mm	P1+2	A	B	C	ST	Type	Wt.	Part. No
Coupling HP-70ES with gasket	300	12"	323,0	137	397	473	76	Painted	VIC	20.9	120918800

Product	DN	Inch	ØD mm	P ₁	P ₂	A	B	C	ST	Type	Wt.	Part. No
Coupling ST77 with gasket	300	12"	323,0	80	55	394	483	64	Painted	VIC	15.5	120826800

Product	DN	Inch	ØD mm	L	P1+2	Flange	ST	Type	Wt.	Part. No
Connection with flange	300	12"	323,0	190	40	300	Galv.	VIC	52.5	111804801

Product	DN	Inch	ØD mm	L	P ₁	P ₂	Angl.	ST	Type	Wt.	Part. No
Elbow	300	12"	323,0	80	80	55	7,50	Galv.	VIC	12.7	122697801
Elbow	300	12"	323,0	110	80	55	15,00	Galv.	VIC	17.3	122698801
Elbow	300	12"	323,0	172	80	55	30,00	Galv.	VIC	26.7	122699801
Elbow	300	12"	323,0	0	80	55	45,00	Galv.	VIC	40.0	122703801
Elbow	300	12"	323,0	507	80	55	90,00	Galv.	VIC	80.0	122702801

Product	DN	Inch	ØD mm	L	P ₁	P ₂	ST	Type	Wt.	Part. No
End cap	300	12"	323,0	32	55	0	Galv.	VIC	16.2	122370801

MOUNTING GREASE & DENSOAPE

More products in this size on the next page >>

Product	RSK nr.	Order No
Grease, tube, 125 g		300 029 000
Grease, can, 1000 g		300 028 000
Densotape, B=100mm, L=10000mm		800 731 000

Alvenius Size Ø 323 mm Hot Dip Galvanized with Victaulic Coupling

Product	DN	Inch	ØD mm	Ød	L1	L2	P ₁	P ₂	ST	Type	Wt.	Part. No
Hydrant pipe, threaded outlet	300	12"	323,0	R2"	600	212	36	36	Galv.	VIC	44.8	122497801

Product	DN	Inch	ØD mm	Ød	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Reducer	300	12"	323,0	273	178	80	64	Galv.	VIC	17.7	122207801

Product	DN	Inch	ØD mm	ST	Type	Wt.	Part. No
Rubber gasket	300	12"	323,0	EPDM	VIC	0.5	120800801
Rubber gasket	300	12"	323,0	EPDM	VIC	0.5	120818801

Product	DN	Inch	ØD mm	Ød	L1	L2	P ₁	P ₂	ST	Type	Wt.	Part. No
Tee	300	12"	323,0	323	508	254	80	55	Galv.	VIC	60.3	122905801

Product	DN	Inch	ØD mm	Ød	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Transition, VIC-K10	200	8"	219,1	203	148	16	0	Galv.	K10, VIC	8.0	111879801

Product	DN	Inch	ØD mm	Thks.	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Welding ring	300	12"	323,0	3,8	48	0	0		VIC	2.6	122844810
Welding ring	300	12"	323,0	5,2	48	0	0		VIC	2.7	122844840
Welding ring	300	12"	323,0	6,5	48	0	0		VIC	3.2	122844850

MOUNTING GREASE & DENSOAPE

Product	RSK nr.	Order No
Grease, tube, 125 g		300 029 000
Grease, can, 1000 g		300 028 000
Densotape, B=100mm, L=10000mm		800 731 000

Alvenius Size 406 mm Hot Dip Galvanized with Victaulic Coupling

Product	DN	Inch	ØD mm	ØID mm	Thks.	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Pipe	400	16"	406,4	397,6	4,4	5800	21	21	Galv.	VIC	263.0	122874801
Pipe	400	16"	406,4	397,6	4,4	3000	21	21	Galv.	VIC	138.0	122873801
Pipe	400	16"	406,4	397,6	4,4	1000	21	21	Galv.	VIC	48.0	122872801
Pipe	400	16"	406,4	397,6	4,4	600	21	21	Galv.	VIC	26.0	122871801

Product	DN	Inch	ØD mm	P1+2	A	B	C	ST	Type	Wt.	Part. No
Coupling ST07 with gasket	400	16"	406,4	24	467	555	73	Painted	VIC	18.7	120950800

Product	DN	Inch	ØD mm	P1+2	A	B	C	ST	Type	Wt.	Part. No
Coupling HP-70ES with gasket	300	12"	323,0	137	397	473	76	Painted	VIC	20.9	120918800

Product	DN	Inch	ØD mm	P ₁	P ₂	A	B	C	ST	Type	Wt.	Part. No
Coupling ST77 with gasket	400	16"	406,4	21	21	483	568	73	Painted	VIC	23.2	120828800

Product	DN	Inch	ØD mm	L	P1+2	Flange	ST	Type	Wt.	Part. No
Connection with flange	400	16"	406,4	145	16	400	Galv.	VIC	47.4	111811801

Product	DN	Inch	ØD mm	L	P ₁	P ₂	Angl.	ST	Type	Wt.	Part. No
Elbow	400	16"	406,4	100	31	31	7,50	Galv.	VIC	16.1	110753801
Elbow	400	16"	406,4	140	31	31	15,00	Galv.	VIC	21.9	110754801
Elbow	400	16"	406,4	223	31	31	30,00	Galv.	VIC	21.9	110755801
Elbow	400	16"	406,4	313	31	31	45,00	Galv.	VIC	43.4	110756801
Elbow	400	16"	406,4	670	31	31	90,00	Galv.	VIC	75.4	100758801

Product	DN	Inch	ØD mm	L	P ₁	P ₂	ST	Type	Wt.	Part. No
End cap	400	16"	406,4	40	25	0	Galv.	VIC	42.0	122371801

Product	DN	Inch	ØD mm	Ød	L1	L2	P ₁	P ₂	ST	Type	Wt.	Part. No
Hydrant pipe, threaded outlet	300	12"	323,0	R2"	600	212	36	36	Galv.	VIC	44.8	122497801

Product	DN	Inch	ØD mm	Ød	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Reducer	400	16"	406,4	323	465	21	21	Galv.	VIC	48.2	111883801

MOUNTING GREASE & DENSOAPE

More products in this size on the next page >>

Product	RSK nr.	Order No
Grease, tube, 125 g		300 029 000
Grease, can, 1000 g		300 028 000
Densotape, B=100mm, L=10000mm		800 731 000

Alvenius Size 406 mm Hot Dip Galvanized with Victaulic Coupling

Product	DN	Inch	ØD mm	Ød	L1	L2	P ₁	P ₂	ST	Type	Wt.	Part. No
Tee	400	16"	406,4	406	610	305	21	21	Galv.	VIC	67.2	111725801

Product	DN	Inch	ØD mm	Ød	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Transition, VIC-K10	200	8"	219,1	203	148	16	0	Galv.	K10, VIC	8.0	111879801

Product	DN	Inch	ØD mm	ST	Type	Wt.	Part. No
Rubber gasket	400	16"	406,4	EPDM	VIC	0.6	120801801

Product	DN	Inch	ØD mm	Thks.	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Welding ring	400	16"	406,4	5,0	58	0	0		VIC	4.2	120391810

MOUNTING GREASE & DENSOTAPE

Product	RSK nr.	Order No
Grease, tube, 125 g		300 029 000
Grease, can, 1000 g		300 028 000
Densotape, B=100mm, L=10000mm		800 731 000

Alvenius Size Ø 508 mm Hot Dip Galvanized with Victaulic Coupling

Product	DN	Inch	ØD mm	ØID mm	Thks.	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Pipe	500	20"	508,0	499,2	4,4	5800	21	21	Galv.	VIC	315,0	122913801
Pipe	500	20"	508,0	499,2	4,4	3000	21	21	Galv.	VIC	163,0	122912801
Pipe	500	20"	508,0	499,2	4,4	1000	21	21	Galv.	VIC	54,0	122911801
Pipe	500	20"	508,0	499,2	4,4	600	21	21	Galv.	VIC	33,0	122910801

Product	DN	Inch	ØD mm	P1+2	A	B	C	ST	Type	Wt.	Part. No
Coupling ST07 with gasket	500	20"	508,0	24	582	698	76	Painted	VIC	30,5	120952800

Product	DN	Inch	ØD mm	P1+2	A	B	C	ST	Type	Wt.	Part. No
Coupling HP-70ES with gasket	300	12"	323,0	137	397	473	76	Painted	VIC	20,9	120918800

Product	DN	Inch	ØD mm	P ₁	P ₂	A	B	C	ST	Type	Wt.	Part. No
Coupling ST77 with gasket	500	20"	508,0	21	21	597	699	79	Painted	VIC	41,4	120951800

Product	DN	Inch	ØD mm	L	P1+2	Flange	ST	Type	Wt.	Part. No
Connection with flange	500	20"	508,0	150	16	500	Galv.	VIC	72,9	111814801

Product	DN	Inch	ØD mm	L	P ₁	P ₂	Angl.	ST	Type	Wt.	Part. No
Elbow	400	16"	406,4	100	31	31	7,50	Galv.	VIC	16,1	110753801
Elbow	400	16"	406,4	140	31	31	15,00	Galv.	VIC	21,9	110754801
Elbow	400	16"	406,4	223	31	31	30,00	Galv.	VIC	21,9	110755801
Elbow	400	16"	406,4	313	31	31	45,00	Galv.	VIC	43,4	110756801
Elbow	400	16"	406,4	670	31	31	90,00	Galv.	VIC	75,4	100758801

Product	DN	Inch	ØD mm	L	P ₁	P ₂	ST	Type	Wt.	Part. No
End cap	400	16"	406,4	40	25	0	Galv.	VIC	42,0	122371801

Product	DN	Inch	ØD mm	Ød	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Reducer	500	20"	508,0	406	628	21	21	Galv.	VIC	37,1	111884801

Product	DN	Inch	ØD mm	ST	Type	Wt.	Part. No
Rubber gasket	500	20"	508,0	EPDM	VIC	0,9	120802801

Product	DN	Inch	ØD mm	Ød	L1	L2	P ₁	P ₂	ST	Type	Wt.	Part. No
Tee	500	20"	508,0	508	876	438	21	21	Galv.	VIC	121,1	111500801

Product	DN	Inch	ØD mm	Ød	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Transition, VIC-K10	200	8"	219,1	203	148	16	0	Galv.	K10, VIC	8,0	111879801

Product	DN	Inch	ØD mm	Thks.	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Welding ring	500	20"	508,0	6,3	58	0	0		VIC	7,0	120392820

Alvenius TP belagt

Victaulic 89 – 508 mm



Alvenius Size Ø 89 mm Thermoplastic coating with VIC Coupling

Product	DN	Inch	ØD mm	ØID mm	Thks. mm	L	P ₁	P ₂	ST	Type	Wt. kg	Part. No
Pipe	80	3"	88,9	84,9	2,0	5800	48	45	TP	VIC	28,0	101540805
Pipe	80	3"	88,9	84,5	2,2	600	80	78	TP	VIC	3,5	122551805
Pipe	80	3"	88,9	84,5	2,2	1000	80	78	TP	VIC	4,3	122091805
Pipe	80	3"	88,9	84,5	2,2	3000	80	78	TP	VIC	22,0	122093805
Pipe	80	3"	88,9	84,5	2,2	5800	80	78	TP	VIC	29,0	122550805
Product	DN	Inch	ØD mm	P ₁₊₂	A	B	C	ST	Type	Wt.		Part. No
Coupling ST07 with gasket	80	3"	88,9	52	115	173	47	Painted	VIC	1,4		120912800
Product	DN	Inch	ØD mm	P ₁₊₂	A	B	C	ST	Type	Wt.		Part. No
Coupling HP-70ES with gasket	80	3"	88,9	172	119	187	48	Painted	VIC	2,1		120945800
Product	DN	Inch	ØD mm	P ₁	P ₂	A	B	C	ST	Type	Wt.	Part. No
Coupling ST75 with gasket	80	3"	88,9	35	35	114	171	44	Painted	VIC	1,3	120932800
Product	DN	Inch	ØD mm	P ₁	P ₂	A	B	C	ST	Type	Wt.	Part. No
Coupling ST77 with gasket	80	3"	88,9	80	69	127	178	44	Painted	VIC	1,7	120809800
Product	DN	Inch	ØD mm	L	P ₁₊₂	Flange	ST	Type	Wt.		Part. No	
Connection with flange	80	3"	88,9	103	40	80	TP	VIC	5,4		111777805	
Connection with flange	80	3"	88,9	140	64	80	TP	VIC	5,4		111776805	
Product	DN	Inch	ØD mm	Ød	L	P ₁	P ₂	Angl.	ST	Type	Wt.	Part. No
Elbow	80	3"	88,9		38	80	55	11,25	TP	VIC	1,0	122507805
Elbow	80	3"	88,9		48	80	55	7,5	TP	VIC	0,6	122508805
Elbow	80	3"	88,9		114	80	55	22,5	TP	VIC	1,4	122510805
Elbow	80	3"	88,9		64	80	55	45	TP	VIC	1,4	122511805
Elbow	80	3"	88,9		108	80	55	90	TP	VIC	2,0	122513805
Product	DN	Inch	ØD mm	L	P ₁	P ₂	ST	Type	Wt.		Part. No	
End cap	80	3"	88,9	22	80	0	TP	VIC	0,9		122345805	
Product	DN	Inch	ØD mm	Ød	L ₁	L ₂	P ₁	P ₂	ST	Type	Wt.	Part. No
Hydrant pipe, threaded outlet	80	3"	88,9	0	600	95	80	64	TP	VIC	5,1	122740805
Product	DN	Inch	ØD mm	Ød	L	P ₁	P ₂	ST	Type	Wt.		Part. No
Reducer	80	3"	88,9	60	180	80	64	TP	VIC	1,3		122042805
Reducer	80	3"	88,9	76	180	80	64	TP	VIC	1,6		122043805
Product	DN	Inch	ØD mm	ST	Type	Wt.						Part. No
Rubber gasket	80	3"	88,9	EPDM	VIC	0,1						120449801
Rubber gasket	80	3"	88,9	EPDM	VIC	0,1						120816801
Product	DN	Inch	ØD mm	Thks. mm	L	P ₁	P ₂	ST	Type	Wt		Part. No
Welding ring	80	3"	88,9	2,2	43	70	0		VIC	0,4		122985820
Welding ring	80	3"	88,9	3,6	43	0	0		VIC	0,6		122985830

Size Ø 114 mm TP with Victaulic Coupling

Product	DN	Inch	ØD mm	ØID mm	Thks.	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Pipe	100	4"	114,3	110,3	2,0	5800	41	35	TP	VIC	36.0	100420805
Pipe	100	4"	114,3	108,9	2,7	600	80	75	TP	VIC	5.0	122434805
Pipe	100	4"	114,3	108,9	2,7	1000	80	75	TP	VIC	8.0	122435805
Pipe	100	4"	114,3	108,9	2,7	3000	80	75	TP	VIC	25.0	122437805
Pipe	100	4"	114,3	108,9	2,7	5800	80	75	TP	VIC	46.0	122439805

Product	DN	Inch	ØD mm	P ₁₊₂	A	B	C	ST	Type	Wt.	Part. No
Coupling ST07 with gasket	100	4"	114,3	52	148	209	53	Painted	VIC	2.4	120913800

Product	DN	Inch	ØD mm	P ₁₊₂	A	B	C	ST	Type	Wt.	Part. No
Coupling HP-70ES with gasket	100	4"	114,3	172	152	238	54	Painted	VIC	3.7	120946800

Product	DN	Inch	ØD mm	P ₁	P ₂	A	B	C	ST	Type	Wt.	Part. No
Coupling ST75 with gasket	100	4"	114,3	35	35	149	196	51	Painted	VIC	1.8	120933800

Product	DN	Inch	ØD mm	P ₁	P ₂	A	B	C	ST	Type	Wt.	Part. No
Coupling ST77 with gasket	100	4"	114,3	80	69	162	216	51	Painted	VIC	3.0	120943800

Product	DN	Inch	ØD mm	L	P ₁₊₂	Flange	ST	Type	Wt.	Part. No
Connection with flange	100	4"	114,3	114	64	100	TP	VIC	9.8	111783805
Connection with flange	100	4"	114,3	109	40	100	TP	VIC	6.8	111782805

Product	DN	Inch	ØD mm	L	P ₁	P ₂	Angl.	ST	Type	Wt.	Part. No
Elbow	100	4"	114,3	48	80	55	7,50	TP	VIC	1.6	122543805
Elbow	100	4"	114,3	44	80	55	11,25	TP	VIC	1.2	122542805
Elbow	100	4"	114,3	73	80	55	22,50	TP	VIC	2.0	122545805
Elbow	100	4"	114,3	76	80	55	45,00	TP	VIC	2.4	122546805
Elbow	100	4"	114,3	127	80	55	90,00	TP	VIC	3.6	122548805

Product	DN	Inch	ØD mm	L	P ₁	P ₂	ST	Type	Wt.	Part. No
End cap	100	4"	114,3	25	80	0	TP	VIC	1.1	122355805

Product	DN	Inch	ØD mm	Ød	L1	L2	P ₁	P ₂	ST	Type	Wt.	Part. No
Hydrant pipe, threaded outlet	100	4"	114,3	R2"	600	108	80	64	TP	VIC	7.0	122717805

Product	DN	Inch	ØD mm	Ød	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Reducer	100	4"	114,3	89	76	80	64	TP	VIC	1.4	122870805
Reducer	100	4"	114,3	60	76	80	64	TP	VIC	1.1	122044805
Reducer	100	4"	114,3	76	76	80	64	TP	VIC	1.2	122047805

Product	DN	Inch	ØD mm	Ød	L1	L2	P ₁	P ₂	ST	Type	Wt.	Part. No
Tee	100	4"	114,3	60	254	127	80	69	TP	VIC	5.1	122737805
Tee	100	4"	114,3	114	254	127	80	69	TP	VIC	6.0	122105805

Size Ø 140 mm TP with Victaulic Coupling

Product	DN	Inch	ØD mm	ØID mm	Thks.	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Pipe	125	5"	139,7	135,5	2,1	5800	47	37	TP	VIC	44.0	122816805
Pipe	125	5"	139,7	133,1	3,3	600	80	76	TP	VIC	7.0	122829805
Pipe	125	5"	139,7	133,1	3,3	1000	80	76	TP	VIC	12.0	122820805
Pipe	125	5"	139,7	133,1	3,3	3000	80	76	TP	VIC	40.0	122821805
Pipe	125	5"	139,7	133,1	3,3	5800	80	76	TP	VIC	67.0	122822805

Product	DN	Inch	ØD mm	P ₁ +2	A	B	C	ST	Type	Wt.	Part. No
Coupling ST07 with gasket	125	5"	139,7	48	176	249	53	Painted	VIC	3.4	120914800

Product	DN	Inch	ØD mm	P ₁ +2	A	B	C	ST	Type	Wt.	Part. No
Coupling ST07 with gasket	125	5"	139,7	48	176	249	53	Painted	VIC	3.4	120914800

Product	DN	Inch	ØD mm	P ₁	P ₂	A	B	C	ST	Type	Wt.	Part. No
Coupling ST77 with gasket	125	5"	139,7	80	69	193	240	51	Painted	VIC	4.8	120813800

Product	DN	Inch	ØD mm	L	P ₁ +2	Flange	ST	Type	Wt.	Part. No
Connection with flange	125	5"	139,7	113	40	125	TP	VIC	10.0	111787805
Connection with flange	125	5"	139,7	133	64	125	TP	VIC	16.1	111788805

Product	DN	Inch	ØD mm	L	P ₁	P ₂	Angl.	ST	Type	Wt.	Part. No
Elbow	125	5"	139,7	53	80	55	7,50	TP	VIC	1.7	122600805
Elbow	125	5"	139,7	53	80	55	15,00	TP	VIC	1.7	122601805
Elbow	125	5"	139,7	96	80	55	30,00	TP	VIC	2.8	122602805
Elbow	125	5"	139,7	83	80	55	45,00	TP	VIC	3.5	122603805
Elbow	125	5"	139,7	140	80	55	90,00	TP	VIC	5.5	122604805

Product	DN	Inch	ØD mm	L	P ₁	P ₂	ST	Type	Wt.	Part. No
End cap	125	5"	139,7	25	80	0	TP	VIC	2.0	122385805

Product	DN	Inch	ØD mm	Ød	L1	L2	P ₁	P ₂	ST	Type	Wt.	Part. No
Hydrant pipe, threaded outlet	125	5"	139,7	R2"	600	120	80	64	TP	VIC	9.6	122918805

Product	DN	Inch	ØD mm	Ød	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Reducer	125	5"	139,7	89	102	80	64	TP	VIC	2.9	122897805
Reducer	125	5"	139,7	114	89	80	64	TP	VIC	1.9	122048805

Product	DN	Inch	ØD mm	Ød	L1	L2	P ₁	P ₂	ST	Type	Wt.	Part. No
Tee	125	5"	139,7	139	280	140	80	69	Galv.	VIC	8.1	122109801

MOUNTING GREASE & DENSOTAPE

Product	RSK nr.	Order No
Grease, tube, 125 g		300 029 000
Grease, can, 1000 g		300 028 000
Densotape, B=100mm, L=10000mm		800 731 000

Size Ø 168 mm TP with Victaulic Coupling

Product	DN	Inch	ØD mm	ØID mm	Thks.	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Pipe	150	6"	168,3	164,1	2,1	5800	40	31	TP	VIC	54.0	122445805
Pipe	150	6"	168,3	162,7	2,8	600	80	76	TP	VIC	8.0	122446805
Pipe	150	6"	168,3	162,7	2,8	1000	80	76	TP	VIC	13.0	122762805
Pipe	150	6"	168,3	162,7	2,8	3000	80	76	TP	VIC	50.0	122763805
Pipe	150	6"	168,3	162,7	2,8	5800	80	76	TP	VIC	70.0	122447805

Product	DN	Inch	ØD mm	P ₁₊₂	A	B	C	ST	Type	Wt.	Part. No
Coupling ST07 with gasket	150	6"	168,3	48	210	275	53	Painted	VIC	3.8	120915800

Product	DN	Inch	ØD mm	P ₁₊₂	A	B	C	ST	Type	Wt.	Part. No
Coupling HP-70ES with gasket	150	6"	168,3	137	216	305	60	Painted	VIC	7.4	120947800

Product	DN	Inch	ØD mm	P ₁	P ₂	A	B	C	ST	Type	Wt.	Part. No
Coupling ST75 with gasket	150	6"	168,3	31	31	203	279	51	Painted	VIC	3.0	120935800

Product	DN	Inch	ØD mm	P ₁	P ₂	A	B	C	ST	Type	Wt.	Part. No
Coupling ST77 with gasket	150	6"	168,3	80	69	229	292	51	Painted	VIC	5.2	120811800

Product	DN	Inch	ØD mm	L	P ₁₊₂	Flange	ST	Type	Wt.	Part. No
Connection with flange	150	6"	168,3	120	40	150	TP	VIC	11.9	111765805
Connection with flange	150	6"	168,3	140	64	150	TP	VIC	22.1	111766805

Product	DN	Inch	ØD mm	L	P ₁	P ₂	Angl.	ST	Type	Wt.	Part. No
Elbow	150	6"	168,3	55	80	55	7,50	TP	VIC	2.2	122376805
Elbow	150	6"	168,3	51	80	55	11,25	TP	VIC	2.5	122380805
Elbow	150	6"	168,3	159	80	55	22,50	TP	VIC	4.5	122378805
Elbow	150	6"	168,3	89	80	55	45,00	TP	VIC	5.4	122379805
Elbow	150	6"	168,3	274	80	55	90,00	TP	VIC	8.7	122381805

Product	DN	Inch	ØD mm	L	P ₁	P ₂	ST	Type	Wt.	Part. No
End cap	150	6"	168,3	25	80	0	TP	VIC	2.9	122383805

Product	DN	Inch	ØD mm	Ød	L1	L2	P ₁	P ₂	ST	Type	Wt.	Part. No
Hydrant pipe, threaded outlet	150	6"	168,3	R2"	600	134	80	64	TP	VIC	15.1	122719805

Product	DN	Inch	ØD mm	Ød	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Reducer	150	6"	168,3	89	102	80	64	TP	VIC	2.9	122859805
Reducer	150	6"	168,3	114	102	80	64	TP	VIC	2.9	122876805
Reducer	150	6"	168,3	139	102	80	64	TP	VIC	2.9	122875805
Reducer	150	6"	168,3	60	102	80	64	TP	VIC	3.0	122858805

Product	DN	Inch	ØD mm	Ød	L1	L2	P ₁	P ₂	ST	Type	Wt.	Part. No
Tee	150	6"	168,3	R2"	330	165	80	69	TP	VIC	9.8	122736805
Tee	150	6"	168,3	76	330	165	80	69	TP	VIC	11.7	122720805
Tee	150	6"	168,3	168	330	165	80	69	TP	VIC	11.7	122115805

Size Ø 219 mm TP with Victaulic Coupling

Product	DN	Inch	ØD mm	ØID mm	Thks.	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Pipe	200	8"	219,1	213,1	3,0	5800	44	41	TP	VIC	98.0	100876805
Pipe	200	8"	219,1	211,9	3,6	600	80	76	TP	VIC	13.0	122920805
Pipe	200	8"	219,1	211,9	3,6	1000	80	76	TP	VIC	21.0	122403805
Pipe	200	8"	219,1	211,9	3,6	3000	80	76	TP	VIC	70.0	122404805
Pipe	200	8"	219,1	211,9	3,6	5800	80	76	TP	VIC	116.0	122399805

Product	DN	Inch	ØD mm	P ₁₊₂	A	B	C	ST	Type	Wt.	Part. No
Coupling ST07 with gasket	200	8"	219,1	41	268	349	644	Painted	VIC	6.8	120949800

Product	DN	Inch	ØD mm	P ₁₊₂	A	B	C	ST	Type	Wt.	Part. No
Coupling HP-70ES with gasket	200	8"	219,1	137	279	365	70	Painted	VIC	11.8	120948800

Product	DN	Inch	ØD mm	P ₁	P ₂	A	B	C	ST	Type	Wt.	Part. No
Coupling ST75 with gasket	200	8"	219,1	31	31	260	356	60	Painted	VIC	5.6	120936800

Product	DN	Inch	ØD mm	P ₁	P ₂	A	B	C	ST	Type	Wt.	Part. No
Coupling ST77 with gasket	200	8"	219,1	80	55	298	368	60	Painted	VIC	9.1	120804800

Product	DN	Inch	ØD mm	Ød	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Reducer	200	8"	219,1	114	127	80	64	TP	VIC	4.8	122890805
Reducer	200	8"	219,1	139	242	80	64	TP	VIC	7.3	122054805
Reducer	200	8"	219,1	168	242	80	64	TP	VIC	7.6	122877805

Product	DN	Inch	ØD mm	Ød	L1	L2	P ₁	P ₂	ST	Type	Wt.	Part. No
Hydrant pipe, threaded outlet	200	8"	219,1	R2"	600	165	80	64	TP	VIC	25.0	122916805

Product	DN	Inch	ØD mm	L	P ₁	P ₂	Angl.	ST	Type	Wt.	Part. No
Elbow	200	8"	219,1	65	80	55	7,50	TP	VIC	5.0	122641805
Elbow	200	8"	219,1	51	80	55	11,25	TP	VIC	6.4	122645805
Elbow	200	8"	219,1	197	80	55	22,50	TP	VIC	9.3	122643805
Elbow	200	8"	219,1	108	80	55	45,00	TP	VIC	11.8	122644805
Elbow	200	8"	219,1	197	80	55	90,00	TP	VIC	19.8	122646805

Product	DN	Inch	ØD mm	L	P ₁	P ₂	ST	Type	Wt.	Part. No
End cap	200	8"	219,1	30	80	0	TP	VIC	5.9	122384805

Product	DN	Inch	ØD mm	Ød	L1	L2	P ₁	P ₂	ST	Type	Wt.	Part. No
Tee	200	8"	219,1	168	394	197	80	55	TP	VIC	19.2	122731805
Tee	200	8"	219,1	219	394	197	80	55	TP	VIC	21.6	122120805

Product	DN	Inch	ØD mm	L	P ₁₊₂	Flange	ST	Type	Wt.	Part. No
Connection with flange	200	8"	219,1	155	64	200	TP	VIC	34.9	111793805
Connection with flange	200	8"	219,1	133	40	200	TP	VIC	21.0	111792805

Size Ø 273 mm TP with Victaulic Coupling

Product	DN	Inch	ØD mm	ØID	Thks.	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Pipe	250	10"	273,0	267,0	3,0	3000	35	33	TP	VIC	64.0	100329805
Pipe	250	10"	273,0	267,0	3,0	5800	35	33	TP	VIC	129.0	100328805
Pipe	250	10"	273,0	265,8	3,6	600	65	61	TP	VIC	16.0	122340805
Pipe	250	10"	273,0	265,8	3,6	1000	65	61	TP	VIC	25.0	122325805
Pipe	250	10"	273,0	265,8	3,6	5800	65	61	TP	VIC	146.0	122330805
Pipe	250	10"	273,0	265,8	3,6	3000	65	61	TP	VIC	73.0	122327805
Pipe	250	10"	273,0	264,2	4,4	600	80	75	TP	VIC	20.0	122343805
Pipe	250	10"	273,0	264,2	4,4	1000	80	75	TP	VIC	32.0	122345805
Pipe	250	10"	273,0	264,2	4,4	3000	80	75	TP	VIC	96.0	122346805
Pipe	250	10"	273,0	264,2	4,4	5800	80	75	TP	VIC	176.0	122533805

Product	DN	Inch	ØD mm	P1+2	A	B	C	ST	Type	Wt.	Part. No
Coupling ST07 with gasket	250	10"	273,0	35	327	431	65	Painted	VIC	10.7	120916800

Product	DN	Inch	ØD mm	P1+2	A	B	C	ST	Type	Wt.	Part. No
Coupling HP-70ES with gasket	250	10"	273,0	137	346	425	76	Painted	VIC	14.9	120827800

Product	DN	Inch	ØD mm	P1	P2	A	B	C	ST	Type	Wt.	Part. No
Coupling ST77 with gasket	250	10"	273,0	80	55	343	425	64	Painted	VIC	12.8	120825800

Product	DN	Inch	ØD mm	L	P1+2	Flange	ST	Type	Wt.	Part. No
Connection with flange	200	8"	219,1	155	64	200	TP	VIC	34.9	111793805
Connection with flange	200	8"	219,1	133	40	200	TP	VIC	21.0	111792805

Product	DN	Inch	ØD mm	L	P ₁	P ₂	Angl.	ST	Type	Wt.	Part. No
Elbow	250	10"	273,0	75	80	55	7,50	TP	VIC	11.0	122669805
Elbow	250	10"	273,0	100	80	55	15,00	TP	VIC	11.0	122670805
Elbow	250	10"	273,0	152	80	55	30,00	TP	VIC	14.0	122671805
Elbow	250	10"	273,0	121	80	55	45,00	TP	VIC	15.1	122672805
Elbow	250	10"	273,0	229	80	55	90,00	TP	VIC	27.0	122674805

Product	DN	Inch	ØD mm	L	P ₁	P ₂	ST	Type	Wt.	Part. No
End cap	250	10"	273,0	32	80	0	TP	VIC	10.0	122369805

Product	DN	Inch	ØD mm	Ød	L1	L2	P ₁	P ₂	ST	Type	Wt.	Part. No
Hydrant pipe, threaded outlet	250	10"	273,0	R2"	600	187	80	64	TP	VIC	34.4	122742805

Product	DN	Inch	ØD mm	Ød	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Reducer	250	10"	273,0	219	278	80	64	TP	VIC	12.0	122828805
Reducer	250	10"	273,0	219	152	80	64	TP	VIC	8.9	122882805

Product	DN	Inch	ØD mm	Ød	L1	L2	P ₁	P ₂	ST	Type	Wt.	Part. No
Tee	250	10"	273,0	273	458	229	80	55	TP	VIC	44.9	122735805

Size Ø 323 mm TP with Victaulic Coupling

Product	DN	Inch	ØD mm	ØID	Thks.	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Pipe	300	12"	323,0	317,0	3,0	600	30	28	TP	VIC	18,0	100767805
Pipe	300	12"	323,0	317,0	3,0	3000	30	28	TP	VIC	77,0	100765805
Pipe	300	12"	323,0	317,0	3,0	5800	30	28	TP	VIC	147,0	100766805
Pipe	300	12"	323,0	314,2	4,4	600	68	64	TP	VIC	24,0	122862805
Pipe	300	12"	323,0	314,2	4,4	3000	68	64	TP	VIC	109,0	122863805
Pipe	300	12"	323,0	314,2	4,4	5800	68	64	TP	VIC	210,0	122869805
Pipe	300	12"	323,0	311,6	5,7	600	80	64	TP	VIC	29,0	122960805
Pipe	300	12"	323,0	311,6	5,7	3000	80	64	TP	VIC	138,0	122316805
Pipe	300	12"	323,0	311,6	5,7	5800	80	64	TP	VIC	266,0	122319805

Product	DN	Inch	ØD mm	P ₁ +2	A	B	C	ST	Type	Wt.	Part. No
Coupling ST07 with gasket	300	12"	323,0	28	377	480	65	Painted	VIC	12,8	120917800

Product	DN	Inch	ØD mm	P ₁ +2	A	B	C	ST	Type	Wt.	Part. No
Coupling HP-70ES with gasket	300	12"	323,0	137	397	473	76	Painted	VIC	20,9	120918800

Product	DN	Inch	ØD mm	P ₁	P ₂	A	B	C	ST	Type	Wt.	Part. No
Coupling ST77 with gasket	300	12"	323,0	80	55	394	483	64	Painted	VIC	15,5	120826800

Product	DN	Inch	ØD mm	L	P ₁ +2	Flange	ST	Type	Wt.	Part. No
Connection with flange	300	12"	323,0	190	40	300	TP	VIC	52,5	111804805

Product	DN	Inch	ØD mm	L	P ₁	P ₂	Angl.	ST	Type	Wt.	Part. No
Elbow	300	12"	323,0	80	80	55	7,50	TP	VIC	12,7	122697805
Elbow	300	12"	323,0	110	80	55	15,00	TP	VIC	17,3	122698805
Elbow	300	12"	323,0	121	80	55	30,00	TP	VIC	26,7	122699805
Elbow	300	12"	323,0	191	80	55	45,00	TP	VIC	40,0	122703805
Elbow	300	12"	323,0	507	80	55	90,00	TP	VIC	80,0	122702805

Product	DN	Inch	ØD mm	L	P ₁	P ₂	ST	Type	Wt.	Part. No
End cap	300	12"	323,0	32	55	0	TP	VIC	16,3	122370805

Product	DN	Inch	ØD mm	Ød	L1	L2	P ₁	P ₂	ST	Type	Wt.	Part. No
Hydrant pipe, threaded outlet	300	12"	323,0	R2"	600	212	36	36	TP	VIC	44,8	122497805

Product	DN	Inch	ØD mm	Ød	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Reducer	300	12"	323,0	273	178	80	64	TP	VIC	32,2	122207805

Product	DN	Inch	ØD mm	Ød	L1	L2	P ₁	P ₂	ST	Type	Wt.	Part. No
Tee	300	12"	323,0	323	508	254	80	55	TP	VIC	60,3	122905805

Product	DN	Inch	ØD mm	Ød	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Transition, VIC-K10	300	12"	323,0	273	0	80	0	TP	VIC,	0,0	122207805

Alvenius Size Ø 406 mm TP with Victaulic Coupling

Product	DN	Inch	ØD mm	ØID	Thks.	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Pipe	400	16"	406,4	397,6	4,4	5800	21	21	Galv.	VIC	263.0	122874805
Pipe	400	16"	406,4	397,6	4,4	3000	21	21	Galv.	VIC	138.0	122873805
Pipe	400	16"	406,4	397,6	4,4	1000	21	21	Galv.	VIC	48.0	122872805
Pipe	400	16"	406,4	397,6	4,4	600	21	21	Galv.	VIC	26.0	122871805

Product	DN	Inch	ØD mm	P ₁₊₂	A	B	C	ST	Type	Wt.	Part. No
Coupling ST07 with gasket	400	16"	406,4	24	467	555	73	Painted	VIC	18.7	120950800

Product	DN	Inch	ØD mm	P ₁₊₂	A	B	C	ST	Type	Wt.	Part. No
Coupling HP-70ES with gasket	300	12"	323,0	137	397	473	76	Painted	VIC	20.9	120918800

Product	DN	Inch	ØD mm	P ₁	P ₂	A	B	C	ST	Type	Wt.	Part. No
Coupling ST77 with gasket	400	16"	406,4	21	21	483	568	73	Painted	VIC	23.2	120828800

Product	DN	Inch	ØD mm	L	P ₁₊₂	Flange	ST	Type	Wt.	Part. No	Wt.	Part. No
Connection with flange	400	16"	406,4	145	16	400	Galv.	VIC	47.4		5.2	120811800

Product	DN	Inch	ØD mm	L	P ₁₊₂	Flange	ST	Type	Wt.	Part. No
Connection with flange	400	16"	406,4	145	16	400	TP	VIC	47.4	111811805

Product	DN	Inch	ØD mm	L	P ₁	P ₂	Angl.	ST	Type	Wt.	Part. No
Elbow	400	16"	406,4	100	31	31	7,50	TP	VIC	15.3	110753805
Elbow	400	16"	406,4	140	31	31	15,00	TP	VIC	20.8	110754805
Elbow	400	16"	406,4	223	31	31	30,00	TP	VIC	31.0	110755805
Elbow	400	16"	406,4	313	31	31	45,00	TP	VIC	41.2	110756805
Elbow	400	16"	406,4	670	31	31	90,00	TP	VIC	71.9	110758805

Product	DN	Inch	ØD mm	L	P ₁	P ₂	ST	Type	Wt.	Part. No
End cap	400	16"	406,4	40	25	0	TP	VIC	40.0	122371805

Product	DN	Inch	ØD mm	Ød	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Reducer	400	16"	406,4	323	465	21	21	TP	VIC	45.7	111883805

Product	DN	Inch	ØD mm	Ød	L1	L2	P ₁	P ₂	ST	Type	Wt.	Part. No
Tee	400	16"	406,4	406	610	305	21	21	TP	VIC	63.8	111725805

MOUNTING GREASE & DENSOTAPE

Product	RSK nr.	Order No
Grease, tube, 125 g		300 029 000
Grease, can, 1000 g		300 028 000
Densotape, B=100mm, L=10000mm		800 731 000

Size Ø 508 mm TP with Victaulic Coupling

Product	DN	Inch	ØD mm	ØID	Thks.	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Pipe	500	20"	508,0	499,2	4,4	5800	21	21	TP	VIC	315,0	122913805
Pipe	500	20"	508,0	499,2	4,4	3000	21	21	TP	VIC	163,0	122912805
Pipe	500	20"	508,0	499,2	4,4	1000	21	21	TP	VIC	54,0	122911805
Pipe	500	20"	508,0	499,2	4,4	600	21	21	TP	VIC	33,0	122910805

Product	DN	Inch	ØD mm	P ₁₊₂	A	B	C	ST	Type	Wt.	Part. No
Coupling ST07 with gasket	500	20"	508,0	24	582	698	76	Painted	VIC	30,5	120952800

Product	DN	Inch	ØD mm	P ₁	P ₂	A	B	C	ST	Type	Wt.	Part. No
Coupling ST77 with gasket	500	20"	508,0	21	21	597	699	79	Painted	VIC	41,4	120951800

Product	DN	Inch	ØD mm	L	P ₁₊₂	Flange	ST	Type	Wt.	Part. No
Connection with flange	500	20"	508,0	150	16	500	TP	VIC	69,3	111814805

Product	DN	Inch	ØD mm	Ød	L	P ₁	P ₂	ST	Type	Wt.	Part. No
Reducer	500	20"	508,0	406	628	21	21	TP	VIC	35,3	111884805

Product	DN	Inch	ØD mm	Ød	L1	L2	P ₁	P ₂	ST	Type	Wt.	Part. No
Tee	500	20"	508,0	508	876	438	21	21	TP	VIC	115,1	111500805

MOUNTING GREASE & DENSOTAPE

Product	RSK nr.	Order No
Grease, tube, 125 g		300 029 000
Grease, can, 1000 g		300 028 000
Densotape, B=100mm, L=10000mm		800 731 000

Tests and certificates



ISO 9001

ISO 14001

General tests

Salt spray testing to ASTM B-117/85.
 Accelerated weathering testing to ASTM G53-88.
 Electrical resistance to BS 476: 5 (1979), 6 (1989), 7 (1987).

Fire tests and fire fume certificates

United Kingdom: BS476 Pt.5-7, NES 713
 USA: NFPA 258
 France: NF C20-453-454, NF P 92-501

Water and food contact approvals

EU: Directive 90/128/eeb
 United Kingdom: WRC BS 6920 DWI
 Germany: EU rules 89/109/EWG and BGA
 Hong Kong: Office of the water authority - potable water
 Belgium: NBN S-29-001
 France: Directive DGS and standard AFNOR XP P 41-250-1/2/3